

System.Data.SqlClient.SqlException

Das Ausführungstimeout ist abgelaufen. Der Timeoutzeitraum wurde überschritten, bevor der Vorgang beendet wurde, oder der Server antwortet nicht.

bei System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

bei System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

bei System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

bei System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

bei System.Data.SqlClient.SqlDataReader.get_MetaData()

bei System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)

bei System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)

bei System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

bei System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)

bei System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)

bei System.Data.Common.DbDataAdapter.FillInternal(DataSet dataset, DataTable[] datatables, Int32 startRecord, Int32 maxRecords, String srcTable, IDbCommand command, CommandBehavior behavior)

bei System.Data.Common.DbDataAdapter.Fill(DataTable[] dataTables, Int32 startRecord, Int32 maxRecords, IDbCommand command, CommandBehavior behavior)

bei System.Data.Common.DbDataAdapter.Fill(DataTable dataTable)

bei ZetaProducer.Data.Base.BaseQuerier`4.ExecuteTable(TConnection connection, String sql, Int32 startIndex, Int32 maxCount, DataCacheInformation dataCacheInformation) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Data\Base\BaseQuerier.cs:Zeile 1555.

bei ZetaProducer.Data.Base.BaseQuerier`4.ExecuteTable(String sql, DataCacheInformation dataCacheInformation) in c:\P\ZP\16.3\ZetaProducerMain\Source\Data\Base\BaseQuerier.cs:Zeile 138.

bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Assets.Images.Usages.ImageAssetUsageDeterminationController.GetUsages(WebImageAssetCollection imageAssets, Boolean onlyCheckHas) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Assets\Images\Usages\ImageAssetUsageDeterminationController.cs:Zeile 187.

bei ZetaProducer.Main.Project.Deletion.DeleteUsedElementForm.GetReferences() in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Project\Deletion\DeleteUsedElementForm.cs:Zeile 299.

bei
ZetaProducer.Main.Project.Deletion.DeleteUsedElementForm.SetElement(WebImageAssetCollection to) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Project\Deletion\DeleteUsedElementForm.cs:Zeile 121.

bei ZetaProducer.Main.Assets.Images.ImageAssetDeleteController.Delete(Control owner, WebImageAssetCollection imageAssetsToDelete, DeleteIgnoreInformation ignoreInformation, Int32& protectedCount, Int32& deletedCount) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\ImageAssetDeleteController.cs:Zeile 116.

bei ZetaProducer.Main.Assets.Images.Main.ImageListControl.PerformDelete() in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\Main\ImageListControl.cs:Zeile 478.

bei
ZetaProducer.Main.Assets.Images.Main.ImageListControl.deleteContextToolStripMenuItem_Click(Object sender, ItemClickEventArgs e) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\Main\ImageListControl.cs:Zeile 973.

bei DevExpress.XtraBars.BarItem.OnClick(BarItemLink link)

bei DevExpress.XtraBars.BarButtonItem.OnClick(BarItemLink link)

bei DevExpress.XtraBars.BarItemLink.OnLinkClick()

bei DevExpress.XtraBars.BarButtonItemLink.OnLinkAction(BarLinkAction action, Object actionArgs)

bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.ClickLink(BarItemLink link)

bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.UnPressLink(BarItemLink link)

bei DevExpress.XtraBars.Controls.CustomLinksControl.OnMouseUp(MouseEventArgs e)

bei System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButton button, Int32 clicks)

bei System.Windows.Forms.Control.WndProc(Message& m)

bei DevExpress.XtraBars.Controls.CustomControl.WndProc(Message& msg)

bei System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)

SQLException

{

Errors=SqlErrorCollection

{

Count=1,

},

ClientConnectionId=Guid

{

},

Class=11,

LineNumber=0,

Number=-2,

Procedure="",

Server="127.0.0.1",

State=0,

Source=".Net SqlClient Data Provider",

ErrorCode=-2146232060,

Message="Das Ausführungstimeout ist abgelaufen. Der Timeoutzeitraum wurde überschritten, bevor der Vorgang beendet wurde, oder der Server antwortet nicht.",

Data=

[

"HelpLink.ProdName" = "Microsoft SQL Server"

"HelpLink.ProdVer" = "15.00.4236"

"HelpLink.EvtSrc" = "MSSQLServer"

"HelpLink.EvtID" = "-2"

"HelpLink.BaseHelpUrl" = "http://go.microsoft.com/fwlink"

"HelpLink.LinkId" = "20476"

]

,

InnerException=Win32Exception

{

NativeErrorCode=258,

ErrorCode=-2147467259,

Message="Der Wartevorgang wurde abgebrochen",

Data=

[

]

,

InnerException=null,

TargetSite=null,

StackTrace=null,

HelpLink=null,

Source=null,

HResult=-2147467259

},

TargetSite=RuntimeMethodInfo: OnError,

StackTrace=" bei System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean
breakConnection, Action`1 wrapCloseInAction)\\r\\n bei

System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj,
Boolean callerHasConnectionLock, Boolean asyncClose)\\r\\n bei

System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler,
SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject
stateObj, Boolean& dataReady)\\r\\n bei

System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()\\r\\n bei

System.Data.SqlClient.SqlDataReader.get_MetaData()\\r\\n bei

System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior
runBehavior, String resetOptionsString, Boolean isInternal, Boolean

forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)\\r\\n bei

System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior,
RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean
asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean

```

describeParameterEncryptionRequest)\r\n bei
System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior,
RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1
completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean
inRetry)\r\n bei System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)\r\n bei
System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String
method)\r\n bei System.Data.Common.DbDataAdapter.FillInternal(DataSet dataset, DataTable[]
datatables, Int32 startRecord, Int32 maxRecords, String srcTable, IDbCommand command,
CommandBehavior behavior)\r\n bei System.Data.Common.DbDataAdapter.Fill(DataTable[]
dataTables, Int32 startRecord, Int32 maxRecords, IDbCommand command, CommandBehavior
behavior)\r\n bei System.Data.Common.DbDataAdapter.Fill(DataTable dataTable)\r\n bei
ZetaProducer.Data.Base.BaseQuerier`4.ExecuteTable(TConnection connection, String sql, Int32
startIndex, Int32 maxCount, DataCacheInformation dataCacheInformation) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Data\Base\BaseQuerier.cs:Zeile 1555.\r\n bei
ZetaProducer.Data.Base.BaseQuerier`4.ExecuteTable(String sql, DataCacheInformation
dataCacheInformation) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Data\Base\BaseQuerier.cs:Zeile 138.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Assets.Images.Usages.ImageAssetUsageDeterminatio
nController.GetUsages(WebImageAssetCollection imageAssets, Boolean onlyCheckHas) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Assets\Images
\Usages\ImageAssetUsageDeterminationController.cs:Zeile 187.\r\n bei
ZetaProducer.Main.Project.Deletion.DeleteUsedElementForm.GetReferences() in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Project\Deletion\DeleteUsedElementF
orm.cs:Zeile 299.\r\n bei
ZetaProducer.Main.Project.Deletion.DeleteUsedElementForm.SetElement(WebImageAssetCollectio
n to) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Project\Deletion\DeleteUsedElementF
orm.cs:Zeile 121.\r\n bei
ZetaProducer.Main.Assets.Images.ImageAssetDeleteController.Delete(Control owner,
WebImageAssetCollection imageAssetsToDelete, DeletelgnoreInformation ignoreInformation,
Int32& protectedCount, Int32& deletedCount) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\ImageAssetDeleteCont
roller.cs:Zeile 116.\r\n bei
ZetaProducer.Main.Assets.Images.Main.ImageListControl.PerformDelete() in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\Main\ImageListContr
ol.cs:Zeile 478.\r\n bei
ZetaProducer.Main.Assets.Images.Main.ImageListControl.deleteContextToolStripMenuItem_Click(O
bject sender, ItemClickEventArgs e) in
c:\P\ZP\16.3\ZetaProducerMain\Source\Core\Main\Assets\Images\Main\ImageListContr
ol.cs:Zeile 973.\r\n bei DevExpress.XtraBars.BarItem.OnClick(BarItemLink link)\r\n bei
DevExpress.XtraBars.BarButtonItem.OnClick(BarItemLink link)\r\n bei
DevExpress.XtraBars.BarItemLink.OnLinkClick()\r\n bei
DevExpress.XtraBars.BarButtonItemLink.OnLinkAction(BarLinkAction action, Object
actionArgs)\r\n bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.ClickLink(BarItemLink
link)\r\n bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.UnPressLink(BarItemLink link)\r\n
bei DevExpress.XtraBars.Controls.CustomLinksControl.OnMouseUp(MouseEventArgs e)\r\n bei
System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32

```

```
clicks)\\r\\n bei System.Windows.Forms.Control.WndProc(Message&m)\\r\\n bei
DevExpress.XtraBars.Controls.CustomControl.WndProc(Message&msg)\\r\\n bei
System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr
lparam)",
```

```
HelpLink=null,
```

```
HResult=-2146232060
```

```
}
```

```
-->Der Wartevorgang wurde abgebrochen
```

```
System.ComponentModel.Win32Exception
```

```
-----
```

```
Der Wartevorgang wurde abgebrochen
```

```
-----
```

```
Win32Exception
```

```
{
```

```
NativeErrorCode=258,
```

```
ErrorCode=-2147467259,
```

```
Message="Der Wartevorgang wurde abgebrochen",
```

```
Data=
```

```
[
```

```
]
```

```
,
```

```
InnerException=null,
```

```
TargetSite=null,
```

```
StackTrace=null,
```

```
HelpLink=null,
```

```
Source=null,
```

```
HResult=-2147467259
```

```
}
```

Ignoring inner exception because of previous OutOfMemoryException. See
<https://stackoverflow.com/a/25010668/107625>