

ZetaProducerPublishing.Runtime.Main.SendFileException

Transfer aborted. Link to file server lost (450).

```
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\P\ukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 584.
    bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.DoCopyFiles(IEnumerable`1
filePaths, Action`1 processedOneFileAction) in c:\P\ukeim\zp-
develop\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\PublishEngineManager.cs
:Zeile 204.
    bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishFileOperationManager.ProcessCopyJobs(ILis
t`1 jobs) in c:\P\ukeim\zp-
develop\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\PublishFileOperationMana
ger.cs:Zeile 225.
    bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.Process(PublishEnginePara
meterInfo pi) in c:\P\ukeim\zp-
develop\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\PublishEngineManager.cs
:Zeile 619.
    bei ZetaProducer.Main.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object
sender, DoWorkEventArgs e) in c:\P\ukeim\zp-
develop\ZetaProducerMain\Source\Core\Main\BuildPublish\Central\NonVisualBuildPublishPerformer.c
s:Zeile 723.
    bei
ZetaProducer.Main.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(Obj
ect sender, DoWorkEventArgs e) in c:\P\ukeim\zp-
develop\ZetaProducerMain\Source\Core\Main\BuildPublish\GuiBinding\AsyncRenderGuiBinder.cs:Zeil
e 389.
    bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)
    bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)
```

SendFileException

```
{
    AlreadyProcessedFiles=String[]
    {
        Length=10,
        LongLength=10,
        Rank=1,
    },
    IsReadOnly=False,
    IsFixedSize=True,
    IsSynchronized=False

    "C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\atmosphere-logo.png",
    "C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\background-placeholder-grey.png",
    "C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\blurry-cover.jpg",
    "C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\bundle.css",
    "C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\bundle.js",
```

```

"C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\favicon.ico",
"C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\flexslider-global.css",
"C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\fonts\\fontawesome-webfont.eot",
"C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\fonts\\fontawesome-webfont.svg",
"C:\\Users\\Herbert Probst\\Documents\\Zeta Producer 16\\Projects\\IF AF Anklam-01-
01-013-01-01-01\\output\\assets\\fonts\\fontawesome-webfont.ttf"
},
Message="Transfer aborted. Link to file server lost (450).",
Data=
[
]
,
InnerException=FtpException
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="450 Transfer aborted. Link to file server lost\\r\\n",
        Description="Transfer aborted. Link to file server lost",
        Code=450,
        Group=4
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="450",
    ProtocolMessage="Transfer aborted. Link to file server lost",
    Message="Transfer aborted. Link to file server lost (450).",
    Data=
    [
        "ProtocolCode" = "450"
        "ProtocolMessage" = "Transfer aborted. Link to file server
lost"
        "FtpResponse" = FtpResponse
        {
            Raw="450 Transfer aborted. Link to file server lost\\r\\n",
            Description="Transfer aborted. Link to file server lost",
            Code=450,
            Group=4
        }
        "FtpStatus" = ProtocolError
        "Status" = ProtocolError
    ]
,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: olyrm,
    StackTrace=" bei Rebex.Net.Ftp.olymr(vkvpq p0, FtpResponse p1, String p2, Int64
p3, String p4, Boolean p5, Boolean p6)\\r\\n bei iizsj.lqpyr.natvu()\\r\\n bei
iizsj.vkvpq.Dispose(Boolean disposing)\\r\\n bei System.IO.Stream.Close()\\r\\n bei
iizsj.zxltm.Dispose(Boolean disposing)\\r\\n bei iizsj.zxltm.Close()\\r\\n bei
Rebex.Net.Ftp.bkoex(String p0, String p1, Stream p2, Int64 p3, Int64 p4, ziqoa p5)\\r\\n bei
Rebex.Net.Ftp.PutFile(Stream sourceStream, String remotePath)\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass35_1.<DoSend
File>b__0() in c:\\P\\lukeim\\zpz-
develop\\ZetaProducerPublishing\\Source\\Runtime\\Protocols\\FtpProtocol\\FtpEngine.cs:Zeile

```

```

523.\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard.doGuard() in
c:\\P\\lukeim\\zp-
develop\\ZetaProducerPublishing\\Source\\Runtime\\Protocols\\FtpProtocol\\ActivePassiveDetectorGu
ard.cs:Zeile 90.\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call,
HandleException handleException) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerPublishing\\Source\\Runtime\\Protocols\\FtpProtocol\\FtpEngine.cs:Zeile
1323.\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerPublishing\\Source\\Runtime\\Protocols\\FtpProtocol\\FtpEngine.cs:Zeile 520.",
        HelpLink=null,
        Source="Rebex.Ftp",
        HResult=-2146233088
    },
    TargetSite=RuntimeMethodInfo: DoSendFile,
    StackTrace=" bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerPublishing\\Source\\Runtime\\Protocols\\FtpProtocol\\FtpEngine.cs:Zeile
584.\\r\\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.DoCopyFiles(IEnumerable`1
filePaths, Action`1 processedOneFileAction) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerMain\\Source\\Core\\RuntimeBusinessLogic\\Publishing\\PublishEngineManage
r.cs:Zeile 204.\\r\\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishFileOperationManager.ProcessCopyJobs(ILis
t`1 jobs) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerMain\\Source\\Core\\RuntimeBusinessLogic\\Publishing\\PublishFileOperationM
anager.cs:Zeile 225.\\r\\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.Process(PublishEnginePara
meterInfo pi) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerMain\\Source\\Core\\RuntimeBusinessLogic\\Publishing\\PublishEngineManage
r.cs:Zeile 619.\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object
sender, DoWorkEventArgs e) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerMain\\Source\\Core\\Main\\BuildPublish\\Central\\NonVisualBuildPublishPerfor
mer.cs:Zeile 723.\\r\\n bei
ZetaProducer.Main.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(Obj
ect sender, DoWorkEventArgs e) in c:\\P\\lukeim\\zp-
develop\\ZetaProducerMain\\Source\\Core\\Main\\BuildPublish\\GuiBinding\\AsyncRenderGuiBinder.cs
:Zeile 389.\\r\\n bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs
e)\\r\\n bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)",
        HelpLink=null,
        Source="ZetaProducerPublishing",
        HResult=-2146233088
}
-->Transfer aborted. Link to file server lost (450).

```

Rebex.Net.FtpException

Transfer aborted. Link to file server lost (450).

```

bei Rebex.Net.Ftp.Olyrm(vkvpq p0, FtpResponse p1, String p2, Int64 p3, String p4, Boolean p5,
Boolean p6)
    bei iizsj.lqpyn.natvu()
    bei iizsj.vkvpq.Dispose(Boolean disposing)
    bei System.IO.Stream.Close()

```

```

bei iizsj.zxln.Dispose(Boolean disposing)
bei iizsj.zxln.Close()
bei Rebex.Net.Ftp.bkoex(String p0, String p1, Stream p2, Int64 p3, Int64 p4, ziqoa p5)
bei Rebex.Net.Ftp.PutFile(Stream sourceStream, String remotePath)
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass35_1.<DoSend
File>b__0() in c:\P\ukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 523.
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard.doGuard()
in c:\P\ukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\ActivePassiveDetectorGuard.
cs:Zeile 90.
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call,
HandleException handleException) in c:\P\ukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 1323.
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\P\ukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 520.

```

FtpException

```

{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="450 Transfer aborted. Link to file server lost\r\n",
        Description="Transfer aborted. Link to file server lost",
        Code=450,
        Group=4
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="450",
    ProtocolMessage="Transfer aborted. Link to file server lost",
    Message="Transfer aborted. Link to file server lost (450).",
    Data=
    [
        "ProtocolCode" =          "450"
        "ProtocolMessage" =       "Transfer aborted. Link to file server lost"
        "FtpResponse" =           FtpResponse
        {
            Raw="450 Transfer aborted. Link to file server lost\r\n",
            Description="Transfer aborted. Link to file server lost",
            Code=450,
            Group=4
        }
        "FtpStatus" =             ProtocolError
        "Status" =                ProtocolError
    ]
    ,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: olyrm,
    StackTrace=" bei Rebex.Net.Ftp.olymr(vkvpq p0, FtpResponse p1, String p2, Int64 p3, String
p4, Boolean p5, Boolean p6)\r\n bei iizsj.lqyn.natvu()\r\n bei iizsj.vkvpq.Dispose(Boolean
disposing)\r\n bei System.IO.Stream.Close()\r\n bei iizsj.zxln.Dispose(Boolean disposing)\r\n
bei iizsj.zxln.Close()\r\n bei Rebex.Net.Ftp.bkoex(String p0, String p1, Stream p2, Int64 p3, Int64
p4, ziqoa p5)\r\n bei Rebex.Net.Ftp.PutFile(Stream sourceStream, String remotePath)\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass35_1.<DoSend

```

```
File>b__0() in c:\P\lukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile
523.\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard.doGuard() in
c:\P\lukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\ActivePassiveDetectorGu
ard.cs:Zeile 90.\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call,
HandleException handleException) in c:\P\lukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile
1323.\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\P\lukeim\zp-
develop\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 520.",
    HelpLink=null,
    Source="Rebex.Ftp",
    HResult=-2146233088
}
Ignoring inner exception because of previous OutOfMemoryException. See
https://stackoverflow.com/a/25010668/107625
```