

Rebex.Net.FtpException

Cannot delete remote file

('httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php').

httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission denied (550).

bei Rebex.BH.QE(Exception A, TransferProblemType B, YG C, YG D, BatchProblemReactions E, BatchProblemReactions H, BatchProblemReactions& I)

bei Rebex.BH.PE(Exception A, String B, TransferProblemType C, YG D, YG E, BatchProblemReactions H, BatchProblemReactions& I)

bei Rebex.BH.ME(String A, YG B)

bei Rebex.BH.LE(ZG A)

bei Rebex.BH.FE()

bei Rebex.BH.AE(TransferAction A, XG B, String C, TransferMethod D, MoveMode E, LinkProcessingMode H, ActionOnExistingFiles I, YG J)

bei Rebex.Net.Ftp.QP(KJ A)

bei Rebex.Net.Ftp.Delete(String remotePath, TraversalMode traversalMode)

bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass19.<DoRemoveFolder>b__16()

bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass20.<guardFtpCall>b__1e()

bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetectorHolder holder, ActivePassiveGuardDelegate guardDelegate)

bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call, HandleException handleException)

bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoRemoveFolder(RemoveFolderInformation information)

bei

ZetaProducer.Updating.NewConverterRuntime.Publishing.Pre125OnlineFolderRemover.deleteFolder(BasePublishingEngine engine, WebPublishingServer publishingServer, String folderName)

bei

ZetaProducer.Updating.NewConverterRuntime.Publishing.Pre125OnlineFolderRemover.Remove(WebProject project)

bei

ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.PublishPreActionHelper.<>c__DisplayClass1.<GetPreAction>b__0(WebProject param0)

bei

ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.Process(PublishEngineParameterInfo parameterInfo)

bei

ZetaProducer.Main.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object sender, DoWorkEventArgs e)

bei

ZetaProducer.Main.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(Object sender, DoWorkEventArgs e)

bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)

bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)

```

FtpException
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

        Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
        Code=550,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath="/httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Lo
gin.php",
    LocalPath=null,
    ProblemType=CannotDeleteFile,
    Status=ProtocolError,
    ProtocolCode="550",
    ProtocolMessage="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/busines
s/Login.php: Permission denied",
    Message="Cannot delete remote file
(\\'/httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php\\').
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied (550).",
    Data=
    [
        "Transferred" =          null
        "ProtocolCode" =          "550"
        "ProtocolMessage" =
        "httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php:
Permission denied"
        "FtpResponse" =          FtpResponse
        {
            Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

            Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
            Code=550,
            Group=5
        }
        "RemotePath" =
        "/httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php"
        "LocalPath" =          null
        "ProblemType" =          CannotDeleteFile
        "FtpStatus" =          ProtocolError
        "Status" =          ProtocolError
    ]
}

```

```

    ]
    ,
    InnerException=FtpException
    {
        Status=ProtocolError,
        Response=FtpResponse
        {
            Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

            Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
            Code=550,
            Group=5
        },
        Transferred=0,
        Transferred=0,
        RemotePath=null,
        LocalPath=null,
        ProblemType=0,
        Status=ProtocolError,
        ProtocolCode="550",

        ProtocolMessage="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/busines
s/Login.php: Permission denied",

        Message="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.
php: Permission denied (550).",
        Data=
        [
            "ProtocolCode" =                "550"
            "ProtocolMessage" =
            "httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php:
Permission denied"
            "FtpResponse" =                FtpResponse
            {
                Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

                Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
                Code=550,
                Group=5
            }
            "FtpStatus" =                ProtocolError
            "Status" =                ProtocolError
        ]
    ,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: CM,

```

```

        StackTrace=" bei Rebex.Net.Ftp.CM(Int32 A, Boolean B)\\r\\n bei
Rebex.Net.Ftp.LO(String A, EH B)\\r\\n bei Rebex.Net.Ftp.PP(String A, EH B)\\r\\n bei
Rebex.Net.LJ.HC(YG A, String B)",
        HelpLink=null,
        Source="Rebex.Ftp",
        HResult=-2146233088
    },
    TargetSite=RuntimeMethodInfo: QE,
    StackTrace=" bei Rebex.BH.QE(Exception A, TransferProblemType B, YG C, YG D,
BatchProblemReactions E, BatchProblemReactions H, BatchProblemReactions& I)\\r\\n bei
Rebex.BH.PE(Exception A, String B, TransferProblemType C, YG D, YG E, BatchProblemReactions
H, BatchProblemReactions& I)\\r\\n bei Rebex.BH.ME(String A, YG B)\\r\\n bei Rebex.BH.LE(ZG
A)\\r\\n bei Rebex.BH.FE()\\r\\n bei Rebex.BH.AE(TransferAction A, XG B, String C,
TransferMethod D, MoveMode E, LinkProcessingMode H, ActionOnExistingFiles I, YG J)\\r\\n bei
Rebex.Net.Ftp.QP(KJ A)\\r\\n bei Rebex.Net.Ftp.Delete(String remotePath, TraversalMode
traversalMode)\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass19.<DoRemo
veFolder>b__16()\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass20.<guardFt
pCall>b__1e()\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActive
PassiveDetectorHolder holder, ActivePassiveGuardDelegate guardDelegate)\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call,
HandleException handleException)\\r\\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoRemoveFolder(RemoveFold
erInformation information)\\r\\n bei
ZetaProducer.Upgrading.NewConverterRuntime.Publishing.Pre125OnlineFolderRemover.deleteF
older(BasePublishingEngine engine, WebPublishingServer publishingServer, String
folderName)\\r\\n bei
ZetaProducer.Upgrading.NewConverterRuntime.Publishing.Pre125OnlineFolderRemover.Remove
(WebProject project)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.PublishPreActionHelper.<>
c__DisplayClass1.<GetPreAction>b__0(WebProject param0)\\r\\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.Process(PublishEnginePar
ameterInfo parameterInfo)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object
sender, DoWorkEventArgs e)\\r\\n bei
ZetaProducer.Main.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(
Object sender, DoWorkEventArgs e)\\r\\n bei
System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)\\r\\n bei
System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)",
        HelpLink=null,
        Source="Rebex.Ftp",
        HResult=-2146233088
    }
}
-->httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php:
Permission denied (550).Rebex.Net.FtpException

```

httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission denied (550).

bei Rebex.Net.Ftp.CM(Int32 A, Boolean B)
bei Rebex.Net.Ftp.LO(String A, EH B)
bei Rebex.Net.Ftp.PP(String A, EH B)
bei Rebex.Net.LJ.HC(YG A, String B)

FtpException

```
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

        Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
        Code=550,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="550",
    ProtocolMessage="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/busines
s/Login.php: Permission denied",
    Message="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.
php: Permission denied (550).",
    Data=
    [
        "ProtocolCode" =          "550"
        "ProtocolMessage" =
        "httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php:
Permission denied"
        "FtpResponse" =          FtpResponse
        {
            Raw="550
httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Login.php: Permission
denied\\r\\n",

            Description="httpdocs/media/Scripting/ServerSideScripting/PHP/pa/classes/business/Logi
n.php: Permission denied",
            Code=550,
            Group=5
        }
        "FtpStatus" =          ProtocolError
        "Status" =          ProtocolError
    ]
},
```

```
    InnerException=null,
    TargetSite=RuntimeMethodInfo: CM,
    StackTrace="  bei Rebex.Net.Ftp.CM(Int32 A, Boolean B)\\r\\n  bei
Rebex.Net.Ftp.LO(String A, EH B)\\r\\n  bei Rebex.Net.Ftp.PP(String A, EH B)\\r\\n  bei
Rebex.Net.LJ.HC(YG A, String B)",
    HelpLink=null,
    Source="Rebex.Ftp",
    HResult=-2146233088
}
```