

System.Data.OleDb.OleDbException

Not a valid file name.

```
bei System.Data.OleDb.OleDbConnectionInternal..ctor(OleDbConnectionString constr,
OleDbConnection connection)
    bei System.Data.OleDb.OleDbConnectionFactory.CreateConnection(DbConnectionOptions
options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool,
DbConnection owningObject)
    bei System.Data.ProviderBase.DbConnectionFactory.CreateConnection(DbConnectionOptions
options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool,
DbConnection owningConnection, DbConnectionOptions userOptions)
    bei System.Data.ProviderBase.DbConnectionFactory.CreateNonPooledConnection(DbConnection
owningConnection, DbConnectionPoolGroup poolGroup, DbConnectionOptions userOptions)
    bei System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection
owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions,
DbConnectionInternal oldConnection, DbConnectionInternal& connection)
    bei System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection
outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry,
DbConnectionOptions userOptions)
    bei System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry,
DbConnectionOptions userOptions)
    bei System.Data.ProviderBase.DbConnectionInternal.OpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory)
    bei System.Data.OleDb.OleDbConnection.Open()
    bei Zeta.VoyagerLibrary.Data.Base.AdoNetBaseQuerier`4.ExecuteTable(SmartConnectionString
connectionString, String sql, Int32 startIndex, Int32 maxCount, AdoNetExecuteOption
executeOptions, DataCacheInformation dataCacheInformation) in
c:\P\ZP\14.1\ZetaProducerExternals\ZetaVoyagerLibrary\Source\Data\Base\AdoNetBaseQuerier.cs:
Zeile 596.
    bei Zeta.VoyagerLibrary.Data.Base.AdoNetBaseQuerier`4.ExecuteTable(String sql,
DataCacheInformation dataCacheInformation) in
c:\P\ZP\14.1\ZetaProducerExternals\ZetaVoyagerLibrary\Source\Data\Base\AdoNetBaseQuerier.cs:
Zeile 383.
    bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.Settings.WebProjectSettingsDynamic.fillFr
omPersistent() in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\Settings\We
bProjectSettingsDynamic.cs:Zeile 323.
    bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.Settings.WebProjectSettingsDynamic..ctor(
Boolean cacheInMemory, IAdoNetQuerier dataQuerier, SettingsModes mode, Boolean
hasExtendedColumns) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\Settings\We
bProjectSettingsDynamic.cs:Zeile 68.
    bei ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.get_SettingsDynamic() in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject
```

.cs:Zeile 268.

bei

ZetaProducer.RuntimeBusinessLogic.Shop.Controllers.ShopSettingsController.get_WantOnlineShop() in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Shop\Controllers\ShopSettingsController.cs:Zeile 33.

bei

ZetaProducer.RuntimeBusinessLogic.Shop.LocalStorage.ShopConnectionPoolGuard..ctor(ShopContext project) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Shop\LocalStorage\ShopConnectionPoolGuard.cs:Zeile 72.

bei

ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.doLoad(ZlpFileOrDirectoryInfo path) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject.cs:Zeile 635.

bei

ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.QuickLoad(ZlpFileOrDirectoryInfo path) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject.cs:Zeile 594.

bei ZetaProducer.Main.AppHost.MainHostExtensions.SimpleLoadWebProject(MainHost host, ZlpFileOrDirectoryInfo projectBasePath, ReadOnlyMode mode) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\AppHost\MainHostExtensions.cs:Zeile 36.

bei ZetaProducer.Main.ProjectUpgrading.HighLevelUpgradeController.MustUpgrade(Form form, ZlpFileOrDirectoryInfo webProjectFileOrFolderPath, Boolean force, BeforeAskDelegate beforeAsk, ILayoutDownloadProcessImplementer layoutDownloader, IWidgetDownloadProcessImplementer widgetDownloader) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\ProjectUpgrading\HighLevelUpgradeController.cs:Zeile 0.

bei

ZetaProducer.Main.Main.MainWindow.Core.MainForm.DoOpenWebProject(ZlpFileOrDirectoryInfo fileOrFolderPath, Boolean handleCommandLine) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.Loading.cs:Zeile 135.

bei ZetaProducer.Main.Main.MainWindow.Core.MainForm.LoadProject(IWin32Window owner, ZlpFileOrDirectoryInfo fileOrFolderPath) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.Loading.cs:Zeile 53.

bei

ZetaProducer.Main.Main.MainWindow.Core.MainForm.buttonBrowseOpenWebProject_ItemClick(Object sender, ItemClickEventArgs e) in

c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.UIHandler.cs:Zeile 108.

bei DevExpress.XtraBars.BarItem.OnClick(BarItemLink link)

bei DevExpress.XtraBars.BarButtonItem.OnClick(BarItemLink link)

bei DevExpress.XtraBars.BarItemLink.OnLinkClick()

bei DevExpress.XtraBars.BarButtonItemLink.OnLinkClick()

bei DevExpress.XtraBars.BarItemLink.OnLinkAction(BarLinkAction action, Object actionArgs)

bei DevExpress.XtraBars.BarButtonItemLink.OnLinkAction(BarLinkAction action, Object actionArgs)

bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.ClickLink(BarItemLink link)

```

bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.UnPressLink(BarItemLink link)
bei DevExpress.XtraBars.Controls.CustomLinksControl.OnMouseUp(MouseEventArgs e)
bei DevExpress.XtraBars.Controls.CustomPopupBarControl.OnMouseUp(MouseEventArgs e)
bei System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32
clicks)
bei System.Windows.Forms.Control.WndProc(Message& m)
bei DevExpress.XtraBars.Controls.CustomControl.WndProc(Message& msg)
bei System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)
bei System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)
bei System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam,
IntPtr lparam)

```

OleDbException

```

{
    ErrorCode=-2147467259,
    Errors=OleDbErrorCollection
    {
        Count=1,
    },
    Message="Not a valid file name.",
    Data=
    [
    ]
,
    InnerException=null,
    TargetSite=RuntimeConstructorInfo: .ctor,
    StackTrace=" bei
System.Data.OleDb.OleDbConnectionInternal..ctor(OleDbConnectionString constr,
OleDbConnection connection)\r\n bei
System.Data.OleDb.OleDbConnectionFactory.CreateConnection(DbConnectionOptions options,
DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool,
DbConnection owningObject)\r\n bei
System.Data.ProviderBase.DbConnectionFactory.CreateConnection(DbConnectionOptions options,
DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool,
DbConnection owningConnection, DbConnectionOptions userOptions)\r\n bei
System.Data.ProviderBase.DbConnectionFactory.CreateNonPooledConnection(DbConnection
owningConnection, DbConnectionPoolGroup poolGroup, DbConnectionOptions userOptions)\r\n
bei System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection
owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions,
DbConnectionInternal oldConnection, DbConnectionInternal& connection)\r\n bei
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection
outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry,
DbConnectionOptions userOptions)\r\n bei
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry,
DbConnectionOptions userOptions)\r\n bei
System.Data.ProviderBase.DbConnectionInternal.OpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory)\r\n bei
System.Data.OleDb.OleDbConnection.Open()\r\n bei
Zeta.VoyagerLibrary.Data.Base.AdoNetBaseQuerier`4.ExecuteTable(SmartConnectionString
connectionString, String sql, Int32 startIndex, Int32 maxCount, AdoNetExecuteOption
executeOptions, DataCacheInformation dataCacheInformation) in

```

```

c:\P\ZP\14.1\ZetaProducerExternals\ZetaVoyagerLibrary\Source\Data\Base\AdoNetBaseQuerier.cs:Zeile 596.\r\n bei
Zeta.VoyagerLibrary.Data.Base.AdoNetBaseQuerier`4.ExecuteTable(String sql,
DataCacheInformation dataCacheInformation) in
c:\P\ZP\14.1\ZetaProducerExternals\ZetaVoyagerLibrary\Source\Data\Base\AdoNetBaseQuerier.cs:Zeile 383.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.Settings.WebProjectSettingsDynamic.FillFromPersistent() in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\Settings\WebProjectSettingsDynamic.cs:Zeile 323.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.Settings.WebProjectSettingsDynamic..ctor(Boolean cacheInMemory, IAdoNetQuerier dataQuerier, SettingsModes mode, Boolean hasExtendedColumns) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\Settings\WebProjectSettingsDynamic.cs:Zeile 68.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.Get_SettingsDynamic() in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject.cs:Zeile 268.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Shop.Controllers.ShopSettingsController.Get_WantOnlineShop() in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Shop\Controllers\ShopSettingsController.cs:Zeile 33.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Shop.LocalStorage.ShopConnectionPoolGuard..ctor(ShopContext project) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Shop\LocalStorage\ShopConnectionPoolGuard.cs:Zeile 72.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.DoLoad(ZlpFileOrDirectoryInfo path) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject.cs:Zeile 635.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.QuickLoad(ZlpFileOrDirectoryInfo path) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Webbing\Projects\WebProject.cs:Zeile 594.\r\n bei
ZetaProducer.Main.AppHost.MainHostExtensions.SimpleLoadWebProject(MainHost host, ZlpFileOrDirectoryInfo projectBasePath, ReadOnlyMode mode) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\AppHost\MainHostExtensions.cs:Zeile 36.\r\n bei
ZetaProducer.Main.ProjectUpgrading.HighLevelUpgradeController.MustUpgrade(Form form, ZlpFileOrDirectoryInfo webProjectFileOrFolderPath, Boolean force, BeforeAskDelegate beforeAsk, ILayoutDownloadProcessImplementer layoutDownloader, IWidgetDownloadProcessImplementer widgetDownloader) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\ProjectUpgrading\HighLevelUpgradeController.cs:Zeile 0.\r\n bei
ZetaProducer.Main.Main.MainWindow.Core.MainForm.DoOpenWebProject(ZlpFileOrDirectoryInfo fileOrFolderPath, Boolean handleCommandLine) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.Loading.cs:Zeile 135.\r\n bei
ZetaProducer.Main.Main.MainWindow.Core.MainForm.LoadProject(IWin32Window owner, ZlpFileOrDirectoryInfo fileOrFolderPath) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.Loading.cs:Zeile 53.\r\n bei

```

```

ZetaProducer.Main.Main.MainWindow.Core.MainForm.buttonBrowseOpenWebProject_ItemClick(
Object sender, ItemClickEventArgs e) in
c:\P\ZP\14.1\ZetaProducerMain\Source\Core\Main\Main\MainWindow\Core\MainForm.UI
Handler.cs:Zeile 108.\r\n bei DevExpress.XtraBars.BarItem.OnClick(BarItemLink link)\r\n bei
DevExpress.XtraBars.BarButtonItem.OnClick(BarItemLink link)\r\n bei
DevExpress.XtraBars.BarItemLink.OnLinkClick()\r\n bei
DevExpress.XtraBars.BarButtonItemLink.OnLinkClick()\r\n bei
DevExpress.XtraBars.BarItemLink.OnLinkAction(BarLinkAction action, Object actionArgs)\r\n
bei DevExpress.XtraBars.BarButtonItemLink.OnLinkAction(BarLinkAction action, Object
actionArgs)\r\n bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.ClickLink(BarItemLink
link)\r\n bei DevExpress.XtraBars.ViewInfo.BarSelectionInfo.UnPressLink(BarItemLink
link)\r\n bei DevExpress.XtraBars.Controls.CustomLinksControl.OnMouseUp(MouseEventArgs
e)\r\n bei
DevExpress.XtraBars.Controls.CustomPopupBarControl.OnMouseUp(MouseEventArgs e)\r\n
bei System.Windows.Forms.Control.WmMouseUp(Message& m, MouseButtons button, Int32
clicks)\r\n bei System.Windows.Forms.Control.WndProc(Message& m)\r\n bei
DevExpress.XtraBars.Controls.CustomControl.WndProc(Message& msg)\r\n bei
System.Windows.Forms.Control.ControlNativeWindow.OnMessage(Message& m)\r\n bei
System.Windows.Forms.Control.ControlNativeWindow.WndProc(Message& m)\r\n bei
System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr
lparam)",
    HelpLink=null,
    Source="Microsoft JET Database Engine",
    HRESULT=-2147467259
}

```