

ZetaProducer.RuntimeBusinessLogic.Template.Core.TemplateException

Vorlagendatei "default.*" wurde nicht gefunden.

bei

ZetaProducer.RuntimeBusinessLogic.Template.Core.TemplateHelper.GetPageTemplateFilePath(WebPage page, TemplateProject templateProject)

bei

ZetaProducer.RuntimeBusinessLogic.Template.Core.TemplateHelper.GetPageTemplateFileContents(WebPage page, TemplateProject templateProject)

bei ZetaProducer.RuntimeBusinessLogic.Webbing.Pages.WebPage.GetReferredAssets()

bei

ZetaProducer.RuntimeBusinessLogic.Rendering.Core.RenderEngineParameterInfo.getReferredAssets(WebPage page, StoreInformation storeInformation)

bei

ZetaProducer.RuntimeBusinessLogic.Rendering.Core.RenderEngineParameterInfo.GetReferredAssetsJobs(WebPage page, StoreInformation storeInformation)

bei

ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.GenerateCurrentPageOperationItem.Run()

bei

ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.BuildPublishOperationItemBase.ZetaProducer.Main.BuildPublish.Central.INonVisualBuildPublishPerformerClient.Run()

bei ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.process(Object operationItem)

bei

ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.processNextQueueItem()

bei

ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.EnqueueOperation(OperationItem operationItem)

bei

ZetaProducer.Main.BuildPublish.Central.BuildPublishCentralImplementationBackground.GeneratePage(WebPage page, StoreInformation storeInformation, BeforeBuildPublishAction actionBeforeStart, AfterBuildPublishAction actionAfterFinished)

bei

ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.coreUpdateIntegratedPreview(WebPage page, String anchorName)

bei ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.showPageInPreview(WebPage page)

bei

ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.ZetaProducer.Main.CommandRouting.Core.IUICommandRoutingTarget.ExecuteCommand(UICommand command, UICommandArgs args)

bei

ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.<c__DisplayClass4.<ExecuteCommand>b__3(UICommandRoutingTargetHolder target, Object targetArguments)

bei

```

ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)
    bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)
    bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)
    bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)
    bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.performCoreRouting[T]
(CommandRoutingContext context, PerformCoreRoutingAction`1 action, T args)
    bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.ExecuteCommand(UICom
mand command, UICommandArgs args)
    bei
ZetaProducer.Main.Main.Previewing.PreviewControl.PreviewWebBrowserControl.SetSelectionInfo
(ExtendedPageTreeSelectionInformation value)
    bei
ZetaProducer.Main.Main.AreaSection.General.MainTabUserControl.SetPageTreeSelectionInfo(Ext
endedPageTreeSelectionInformation value)
    bei ZetaProducer.Main.Main.MainWindow.MainForm.pageTreeControl__AfterSelect(Object
sender, EventArgs EventArgs)
    bei ZetaProducer.Main.Main.PageSection.MainPageTreeUserControl.handleAfterSelect()
    bei
ZetaProducer.Main.Main.PageSection.MainPageTreeUserControl.treeView__AfterSelect(Object
sender, EventArgs e)
    bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListContr
ol.OnAfterSelect(EventArgs args)
    bei ZetaProducer.Main.Main.PageSection.CorePageTreeControl.OnAfterSelect(EventArgs args)
    bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListContr
ol.doAfterSelect()
    bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListContr
ol.extendedTreeListControlFocusedNodeChanged(Object sender, FocusedNodeChangedEventArgs
e)
    bei DevExpress.XtraTreeList.FocusedNodeChangedEventHandler.Invoke(Object sender,
FocusedNodeChangedEventArgs e)
    bei DevExpress.XtraTreeList.TreeList.RaiseFocusedNodeChanged(TreeListNode oldNode,
TreeListNode newNode)
    bei DevExpress.XtraTreeList.TreeList.InternalSetFocusedRowIndex(Int32
newFocusedRowIndex)
    bei DevExpress.XtraTreeList.TreeList.set_FocusedRowIndex(Int32 value)
    bei DevExpress.XtraTreeList.TreeList.SetFocusedNode(TreeListNode node)

```

```

bei DevExpress.XtraTreeList.TreeList.set_FocusedNode(TreeListNode value)
bei DevExpress.XtraTreeList.Nodes.TreeListNode.set_Selected(Boolean value)
bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListControl.set_SelectedNode(TreeListNode value)
bei ZetaProducer.Main.Main.PageSection.CorePageTreeControl.selectFirstPage()
bei ZetaProducer.Main.Main.PageSection.CorePageTreeControl.Fill(Control
myWebsiteHeaderBoxPanel)
bei
ZetaProducer.Main.Main.MainWindow.MainForm.<c__DisplayClass13.<webProject_Loaded>b__12()
bei Zeta.VoyagerLibrary.WinForms.Common.FormHelper.AsyncInvoke(Control control,
MethodInvoker del)
bei ZetaProducer.Main.Main.MainWindow.MainForm.webProject_Loaded(Object sender,
EventArgs e)
bei FastSmartWeakEvent(WeakReference , Object , EventArgs )
bei ZetaProducer.CommonInterfaces.FastSmartWeakEvent`1.Raise(Object sender, EventArgs e)
bei ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.OnLoaded(EventArgs
EventArgs)
bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.doLoad(FileOrDirectoryInfo
path)
bei ZetaProducer.Main.Main.MainWindow.MainForm.DoOpenWebProject(FileOrDirectoryInfo
fileOrFolderPath, Boolean handleCommandLine)
bei ZetaProducer.Main.Main.MainWindow.MainForm.<mainForm_Shown>b__11()
bei ZetaProducer.Main.Main.MainWindow.GuiTimer.<c__DisplayClass4.<.ctor>b__1(Object
param0, EventArgs param1)
bei System.Windows.Forms.Timer.OnTick(EventArgs e)
bei System.Windows.Forms.Timer.TimerNativeWindow.WndProc(Message& m)
bei System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam,
IntPtr lparam)

```

TemplateException

```

{
    Message="Vorlagendatei \"default.*\" wurde nicht gefunden.",
    Data=
    [
    ]
,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: GetPageTemplateFilePath,
    StackTrace=" bei
ZetaProducer.RuntimeBusinessLogic.Template.Core.TemplateHelper.GetPageTemplateFilePath(WebPage page, TemplateProject templateProject)\r\n bei
ZetaProducer.RuntimeBusinessLogic.Template.Core.TemplateHelper.GetPageTemplateFileContents(WebPage page, TemplateProject templateProject)\r\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Pages.WebPage.GetReferredAssets()\r\n bei
ZetaProducer.RuntimeBusinessLogic.Rendering.Core.RenderEngineParameterInfo.getReferredAssets(WebPage page, StoreInformation storeInformation)\r\n bei
ZetaProducer.RuntimeBusinessLogic.Rendering.Core.RenderEngineParameterInfo.GetReferredAssetJobs(WebPage page, StoreInformation storeInformation)\r\n bei
ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.GenerateCurrentPageOperati

```

```

onItem.Run()\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BackgroundImplementations.BuildPublishOperationItem
Base.ZetaProducer.Main.BuildPublish.Central.INonVisualBuildPublishPerformerClient.Run()\\r\\n
bei ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.process(Object
operationItem)\\r\\n bei
ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.processNextQueueItem(
)\\r\\n bei
ZetaProducer.Main.BuildPublish.StatusIndicator.BuildPublishUIController.EnqueueOperation(Oper
ationItem operationItem)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BuildPublishCentralImplementationBackground.Generate
Page(WebPage page, StoreInformation storeInformation, BeforeBuildPublishAction
actionBeforeStart, AfterBuildPublishAction actionAfterFinished)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.coreUpdateIntegratedPreview(WebPa
ge page, String anchorName)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.showPageInPreview(WebPage
page)\\r\\n bei
ZetaProducer.Main.BuildPublish.Central.BuildPublishCentral.ZetaProducer.Main.CommandRoutin
g.Core.IUICommandRoutingTarget.ExecuteCommand(UICommand command, UICommandArgs
args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.<c__DisplayClass4.<Exe
cuteCommand>b__3(UICommandRoutingTargetHolder target, Object targetArguments)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.doPerformCoreRouting[T]
(CommandRoutingContext context, INode`1 focusedNode, PerformCoreRoutingAction`1 action, T
args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.performCoreRouting[T]
(CommandRoutingContext context, PerformCoreRoutingAction`1 action, T args)\\r\\n bei
ZetaProducer.Main.CommandRouting.Core.UICommandRoutingEngine.ExecuteCommand(UICom
mand command, UICommandArgs args)\\r\\n bei
ZetaProducer.Main.Main.Previewing.PreviewControl.PreviewWebBrowserControl.SetSelectionInfo
(ExtendedPageTreeSelectionInformation value)\\r\\n bei
ZetaProducer.Main.Main.AreaSection.General.MainTabUserControl.SetPageTreeSelectionInfo(Ext
endedPageTreeSelectionInformation value)\\r\\n bei
ZetaProducer.Main.Main.MainWindow.MainForm.pageTreeControl_AfterSelect(Object sender,
EventArgs eventArgs)\\r\\n bei
ZetaProducer.Main.Main.PageSection.MainPageTreeUserControl.handleAfterSelect()\\r\\n bei
ZetaProducer.Main.Main.PageSection.MainPageTreeUserControl.treeView_AfterSelect(Object
sender, EventArgs e)\\r\\n bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListContr
ol.OnAfterSelect(EventArgs args)\\r\\n bei
ZetaProducer.Main.Main.PageSection.CorePageTreeControl.OnAfterSelect(EventArgs args)\\r\\n
bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListContr
ol.doAfterSelect()\\r\\n bei

```

```

ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListControl.extendedTreeListControlFocusedNodeChanged(Object sender, FocusedNodeChangedEventArgs e)\\r\\n bei DevExpress.XtraTreeList.FocusedNodeChangedEventHandler.Invoke(Object sender, FocusedNodeChangedEventArgs e)\\r\\n bei
DevExpress.XtraTreeList.TreeList.RaiseFocusedNodeChanged(TreeListNode oldNode, TreeListNode newNode)\\r\\n bei
DevExpress.XtraTreeList.TreeList.InternalSetFocusedRowIndex(Int32 newFocusedRowIndex)\\r\\n bei DevExpress.XtraTreeList.TreeList.set_FocusedRowIndex(Int32 value)\\r\\n bei
DevExpress.XtraTreeList.TreeList.SetFocusedNode(TreeListNode node)\\r\\n bei
DevExpress.XtraTreeList.TreeList.set_FocusedNode(TreeListNode value)\\r\\n bei
DevExpress.XtraTreeList.Nodes.TreeListNode.set_Selected(Boolean value)\\r\\n bei
ZetaProducerExtendedControlsLibrary.Skinning.CustomTreeList.Extended.ExtendedTreeListControl.set_SelectedNode(TreeListNode value)\\r\\n bei
ZetaProducer.Main.Main.PageSection.CorePageTreeControl.selectFirstPage()\\r\\n bei
ZetaProducer.Main.Main.PageSection.CorePageTreeControl.Fill(Control myWebsiteHeaderBoxPanel)\\r\\n bei
ZetaProducer.Main.Main.MainWindow.MainForm.<>c__DisplayClass13.<webProject_Loaded>b__12()\\r\\n bei Zeta.VoyagerLibrary.WinForms.Common.FormHelper.AsyncInvoke(Control control, MethodInvoker del)\\r\\n bei
ZetaProducer.Main.Main.MainWindow.MainForm.webProject_Loaded(Object sender, EventArgs e)\\r\\n bei FastSmartWeakEvent(WeakReference , Object , EventArgs )\\r\\n bei
ZetaProducer.CommonInterfaces.FastSmartWeakEvent`1.Raise(Object sender, EventArgs e)\\r\\n bei ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.OnLoaded(EventArgs eventArgs)\\r\\n bei
ZetaProducer.RuntimeBusinessLogic.Webbing.Projects.WebProject.doLoad(FileOrDirectoryInfo path)\\r\\n bei
ZetaProducer.Main.Main.MainWindow.MainForm.DoOpenWebProject(FileOrDirectoryInfo fileOrFolderPath, Boolean handleCommandLine)\\r\\n bei
ZetaProducer.Main.Main.MainWindow.MainForm.<mainForm_Shown>b__11()\\r\\n bei
ZetaProducer.Main.Main.MainWindow.GuiTimer.<>c__DisplayClass4.<.ctor>b__1(Object param0, EventArgs param1)\\r\\n bei System.Windows.Forms.Timer.OnTick(EventArgs e)\\r\\n bei
System.Windows.Forms.Timer.TimerNativeWindow.WndProc(Message& m)\\r\\n bei
System.Windows.Forms.NativeWindow.Callback(IntPtr hWnd, Int32 msg, IntPtr wparam, IntPtr lparam)",
    HelpLink=null,
    Source="ZetaProducer.RuntimeBusinessLogic",
    HRESULT=-2146232832
}

```