
Rebex.Net.FtpException

No connection could be made because the target machine actively refused it.

bei Rebex.Net.Ftp.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult c9286469e9e8f1e0c39c5db2a770cdba4, Ftp c672a916dffb538ff7f7541cf5bebd98f, String c1d9d35dd551cf78197245976dcaa69ff, Enum[] cc13753651b0e0a0a7b1f2d615e4fe39a)

bei Rebex.Net.Ftp.EndPutFile(IAsyncResult asyncResult)

bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass14.<DoSendFile>b__10()

bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass3e.<guardFtpCall>b__3a()

bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetectorHolder holder, ActivePassiveGuardDelegate guardDelegate)

bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(BaseResult result, FtpCall call, HandleException handleException)

bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation information, AsyncOperation asyncOperation)

bei ZetaProducerPublishing.Runtime.Protocols.Base.BasePublishingEngine.SendFile(SendFileInformation information)

bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.PhpTestController.createFoldersAndSetPermissions(String serverFolder, BasePublishingEngine publishingEngine)

bei ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.PhpTestController.Test(String serverFolder, BasePublishingEngine publishingEngine, Cancelable cancelable)

bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.doTestRunNormal(Cancelable cancelable)

bei ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.Test(Cancelable cancelable)

FtpException

{

Status=ConnectFailure,

Response=null,

Transferred=0,

Transferred=0,

RemotePath=null,

LocalPath=null,

ProblemType=0,

Status=ConnectFailure,

```
ProtocolCode=null,
ProtocolMessage=null,
Message="No connection could be made because the target machine actively refused it.",
Data=
[
  "Transferred" = null
  "ProtocolCode" = null
  "ProtocolMessage" = null
  "FtpResponse" = null
  "RemotePath" = null
  "LocalPath" = null
  "ProblemType" = null
  "FtpStatus" = ConnectFailure
  "Status" = ConnectFailure
]
,
InnerException=FtpException
{
  Status=ConnectFailure,
  Response=null,
  Transferred=0,
  Transferred=0,
  RemotePath=null,
  LocalPath=null,
  ProblemType=0,
  Status=ConnectFailure,
  ProtocolCode=null,
  ProtocolMessage=null,
  Message="No connection could be made because the target machine actively refused it.",
  Data=
  [
    "FtpStatus" = ConnectFailure
    "Status" = ConnectFailure
  ]
  ,
```

```
InnerException=ProxySocketException
{
  Status=ConnectFailure,
  ErrorCode=10061,
  Status=ConnectFailure,
  ProtocolCode=null,
  ProtocolMessage=null,
  Message="No connection could be made because the target machine actively refused it.",
  Data=
  [
    "ProxyStatus" = ConnectFailure
    "Status" = ConnectFailure
    "ErrorCode" = 10061
  ]
,
  InnerException=ProxySocketException
{
  Status=ConnectFailure,
  ErrorCode=10061,
  Status=ConnectFailure,
  ProtocolCode=null,
  ProtocolMessage=null,
  Message="No connection could be made because the target machine actively refused it.",
  Data=
  [
    "ProxyStatus" = ConnectFailure
    "Status" = ConnectFailure
    "ErrorCode" = 10061
  ]
,
  InnerException=SocketException,
  TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,
  StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
```

HelpLink=null,

Source="Rebex.Networking"

},

TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,

StackTrace=" bei

Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2a2410b8a4d7f652a1d221280)\r\n bei
Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)\r\n bei
Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)",

HelpLink=null,

Source="Rebex.Networking"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei

Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)\r\n bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String
c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff,
cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4, Int64
ce5f4a270fe42ac6c7118a7fb8038d79e, String cf17a7bfabc896a0347cc538cc05ee8, String
cf3fb4abdec5c641a80046b1139aff91a, Int64 c5156d253cdcc0db954fbad2f072368, FtpTransferState
c2ecfc4820062c34d300f5df5838fc140)\r\n bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String
c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff,
cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4,
cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c, Int64
c5156d253cdcc0db954fbad2f072368, FtpTransferState c2ecfc4820062c34d300f5df5838fc140)\r\n bei
Rebex.Net.Ftp.c1461f2e0e474ca465f1a2e1e488225b7(String c51e6afc1ac2d92ef9d48d3943d1a64e4, String
cf17a7bfabc896a0347cc538cc05ee8, Stream c114647f446e4785eac2fea853193618a, Int64
c91eb41f8225254b8a127104a4d5db28d, Int64 c88c097749576057eb653981d5700c61f,
cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c)\r\n bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\r\n bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",

HelpLink=null,

Source="Rebex.Ftp"

},

TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,

StackTrace=" bei Rebex.Net.Ftp.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, Ftp c672a916dff538ff7f7541cf5bebd98f, String
c1d9d35dd551cf78197245976dcaa69ff, Enum[] cc13753651b0e0a0a7b1f2d615e4fe39a)\r\n bei
Rebex.Net.Ftp.EndPutFile(IAsyncResult asyncResult)\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass14.<DoSendFile>b__10()\r\n
\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass3e.<guardFtpCall>b__3a()\r\n
\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetecto
rHolder holder, ActivePassiveGuardDelegate guardDelegate)\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(BaseResult result, FtpCall call,
HandleException handleException)\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation information,
AsyncOperation asyncOperation)\r\n bei

```
ZetaProducerPublishing.Runtime.Protocols.Base.BasePublishingEngine.SendFile(SendFileInformation
information)\\r\\n bei
ZetaProducer.Runtime.BusinessLogic.Publishing.Testing.PhpTestController.createFoldersAndSetPermissions(Stri
ng serverFolder, BasePublishingEngine publishingEngine)\\r\\n bei
ZetaProducer.Runtime.BusinessLogic.Publishing.Testing.PhpTestController.Test(String serverFolder,
BasePublishingEngine publishingEngine, Cancelable cancelable)\\r\\n bei
ZetaProducer.Runtime.BusinessLogic.Publishing.Testing.ConnectionTestController.doTestRunNormal(Cancelable
cancelable)\\r\\n bei
ZetaProducer.Runtime.BusinessLogic.Publishing.Testing.ConnectionTestController.Test(Cancelable cancelable)",
```

HelpLink=null,

Source="Rebex.Ftp"

}

-->No connection could be made because the target machine actively refused it.--> No connection could be made because the target machine actively refused it.--> No connection could be made because the target machine actively refused it.--> Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte 217.160.223.29:59720Rebex.Net.FtpException

No connection could be made because the target machine actively refused it.

bei Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint c0154f844223152f146228a86e05576a4)

bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff, cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4, Int64 ce5f4a270fe42ac6c7118a7fb8038d79e, String cf17a7bfabc896a0347ccec538cc05ee8, String cf3fb4abdec5c641a80046b1139aff91a, Int64 c5156d253cdcc0dbee954fbad2f072368, FtpTransferState c2ecfc4820062c34d300f5df5838fc140)

bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff, cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4, cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c, Int64 c5156d253cdcc0dbee954fbad2f072368, FtpTransferState c2ecfc4820062c34d300f5df5838fc140)

bei Rebex.Net.Ftp.c1461f2e0e474ca465f1a2e1e488225b7(String c51e6afc1ac2d92ef9d48d3943d1a64e4, String cf17a7bfabc896a0347ccec538cc05ee8, Stream c114647f446e4785eac2fea853193618a, Int64 c91eb41f8225254b8a127104a4d5db28d, Int64 c88c097749576057eb653981d5700c61f, cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c)

bei Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)

bei Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object c507d28ee11ccabad52c0ef8151759031)

FtpException

{

Status=ConnectFailure,

Response=null,

Transferred=0,

Transferred=0,

RemotePath=null,

LocalPath=null,

```
ProblemType=0,
Status=ConnectFailure,
ProtocolCode=null,
ProtocolMessage=null,
Message="No connection could be made because the target machine actively refused it.",
Data=
[
  "FtpStatus" = ConnectFailure
  "Status" = ConnectFailure
]
,
InnerException=ProxySocketException
{
  Status=ConnectFailure,
  ErrorCode=10061,
  Status=ConnectFailure,
  ProtocolCode=null,
  ProtocolMessage=null,
  Message="No connection could be made because the target machine actively refused it.",
  Data=
  [
    "ProxyStatus" = ConnectFailure
    "Status" = ConnectFailure
    "ErrorCode" = 10061
  ]
  ,
  InnerException=ProxySocketException
  {
    Status=ConnectFailure,
    ErrorCode=10061,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
```

```
Data=
[
"ProxyStatus" = ConnectFailure
"Status" = ConnectFailure
"ErrorCode" = 10061
]
,
InnerException=SocketException
{
ErrorCode=10061,
Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",
SocketErrorCode=ConnectionRefused,
NativeErrorCode=10061,
Data=
[
]
,
InnerException=null,
TargetSite=RuntimeMethodInfo: DoConnect,
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
HelpLink=null,
Source="System"
},
TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,
StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
HelpLink=null,
Source="Rebex.Networking"
},
TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,
StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)\r\n bei
```

```
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2410b8a4d7f652a1d221280)\r\n bei
Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)\r\n bei
Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)",
```

HelpLink=null,

Source="Rebex.Networking"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei

```
Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)\r\n bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String
c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff,
cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4, Int64
ce5f4a270fe42ac6c7118a7fb8038d79e, String cf17a7bfabc896a0347ccec538cc05ee8, String
cf3fb4abdec5c641a80046b1139aff91a, Int64 c5156d253cdcc0dbee954fbad2f072368, FtpTransferState
c2ecfc4820062c34d300f5df5838fc140)\r\n bei Rebex.Net.Ftp.c9ee4ca1870191d7be71c1390d2e08600(String
c51e6afc1ac2d92ef9d48d3943d1a64e4, Boolean c1faa57231c8ed655a3a46d277ad354ff,
cad4dc1011165c00bda521b3af238eb29 c409c4257040ace7a1326818f6a035ae4,
cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c, Int64
c5156d253cdcc0dbee954fbad2f072368, FtpTransferState c2ecfc4820062c34d300f5df5838fc140)\r\n bei
Rebex.Net.Ftp.c1461f2e0e474ca465f1a2e1e488225b7(String c51e6afc1ac2d92ef9d48d3943d1a64e4, String
cf17a7bfabc896a0347ccec538cc05ee8, Stream c114647f446e4785eac2fea853193618a, Int64
c91eb41f8225254b8a127104a4d5db28d, Int64 c88c097749576057eb653981d5700c61f,
cbce08ff0deaeb5176bd48b3aa6e1365c c4cd6904ed3c0d47048a28b8ad2e2673c)\r\n bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\r\n bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",
```

HelpLink=null,

Source="Rebex.Ftp"

}

-->No connection could be made because the target machine actively refused it.--> No connection could be made because the target machine actively refused it.--> Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte 217.160.223.29:59720Rebex.Net.ProxySocketException

No connection could be made because the target machine actively refused it.

```
bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)
```

```
bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2410b8a4d7f652a1d221280)
```

```
bei Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)
```

```
bei Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)
```

ProxySocketException

```

{
  Status=ConnectFailure,
  ErrorCode=10061,
  Status=ConnectFailure,
  ProtocolCode=null,
  ProtocolMessage=null,
  Message="No connection could be made because the target machine actively refused it.",
  Data=
  [
    "ProxyStatus" = ConnectFailure
    "Status" = ConnectFailure
    "ErrorCode" = 10061
  ]
  ,
  InnerException=ProxySocketException
  {
    Status=ConnectFailure,
    ErrorCode=10061,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
    Data=
    [
      "ProxyStatus" = ConnectFailure
      "Status" = ConnectFailure
      "ErrorCode" = 10061
    ]
    ,
    InnerException=SocketException
    {
      ErrorCode=10061,

      Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
      217.160.223.29:59720",

      SocketErrorCode=ConnectionRefused,

```

NativeErrorCode=10061,

Data=

[
]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="Rebex.Networking"

},

TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,

StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2410b8a4d7f652a1d221280)\r\n bei
Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)\r\n bei
Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)",

HelpLink=null,

Source="Rebex.Networking"

}

-->No connection could be made because the target machine actively refused it.--> Es konnte keine Verbindung
hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720Rebex.Net.ProxySocketException

No connection could be made because the target machine actively refused it.

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

ProxySocketException

{

Status=ConnectFailure,

ErrorCode=10061,

Status=ConnectFailure,

ProtocolCode=null,

ProtocolMessage=null,

Message="No connection could be made because the target machine actively refused it.",

Data=

[

"ProxyStatus" = ConnectFailure

"Status" = ConnectFailure

"ErrorCode" = 10061

]

,

InnerException=SocketException

{

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei

Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="Rebex.Networking"

}

-->Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720System.Net.Sockets.SocketException

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)

bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

SocketException

{

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32

```
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="System"
```

```
}System.Net.Sockets.SocketException
```

```
-----
```

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

```
-----
```

```
bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)
```

```
bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)
```

```
bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String  
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32  
c6eaf65a4092fe31238c21331c3da3e1d)
```

```
SocketException
```

```
{
```

```
ErrorCode=10061,
```

```
Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte  
217.160.223.29:59720",
```

```
SocketErrorCode=ConnectionRefused,
```

```
NativeErrorCode=10061,
```

```
Data=
```

```
[
```

```
]
```

```
,
```

```
InnerException=null,
```

```
TargetSite=RuntimeMethodInfo: DoConnect,
```

```
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress  
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei  
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String  
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32  
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="System"
```

```
}Rebex.Net.ProxySocketException
```

```
-----
```

No connection could be made because the target machine actively refused it.

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

ProxySocketException

{

Status=ConnectFailure,

ErrorCode=10061,

Status=ConnectFailure,

ProtocolCode=null,

ProtocolMessage=null,

Message="No connection could be made because the target machine actively refused it.",

Data=

[

"ProxyStatus" = ConnectFailure

"Status" = ConnectFailure

"ErrorCode" = 10061

]

,

InnerException=SocketException

{

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String

```
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="System"
```

```
},
```

```
TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,
```

```
StackTrace=" bei
```

```
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="Rebex.Networking"
```

```
}
```

```
-->Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720System.Net.Sockets.SocketException
```

```
-----
```

```
Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720
```

```
-----
```

```
bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)
```

```
bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)
```

```
bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)
```

```
SocketException
```

```
{
```

```
ErrorCode=10061,
```

```
Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",
```

```
SocketErrorCode=ConnectionRefused,
```

```
NativeErrorCode=10061,
```

```
Data=
```

```
[
```

```
]
```

```
,
```

```
InnerException=null,
```

```
TargetSite=RuntimeMethodInfo: DoConnect,
```

```
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="System"
```

```
}System.Net.Sockets.SocketException
```

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

```
bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)
```

```
bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)
```

```
bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)
```

```
SocketException
```

```
{
```

```
ErrorCode=10061,
```

```
Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",
```

```
SocketErrorCode=ConnectionRefused,
```

```
NativeErrorCode=10061,
```

```
Data=
```

```
[
```

```
]
```

```
,
```

```
InnerException=null,
```

```
TargetSite=RuntimeMethodInfo: DoConnect,
```

```
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
```

```
HelpLink=null,
```

```
Source="System"
```

```
}Rebex.Net.ProxySocketException
```

No connection could be made because the target machine actively refused it.

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2410b8a4d7f652a1d221280)

bei Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)

bei Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)

ProxySocketException

{

Status=ConnectFailure,

ErrorCode=10061,

Status=ConnectFailure,

ProtocolCode=null,

ProtocolMessage=null,

Message="No connection could be made because the target machine actively refused it.",

Data=

[

"ProxyStatus" = ConnectFailure

"Status" = ConnectFailure

"ErrorCode" = 10061

]

,

InnerException=ProxySocketException

{

Status=ConnectFailure,

ErrorCode=10061,

Status=ConnectFailure,

ProtocolCode=null,

ProtocolMessage=null,

Message="No connection could be made because the target machine actively refused it.",

```

Data=
[
"ProxyStatus" = ConnectFailure
"Status" = ConnectFailure
"ErrorCode" = 10061
]
,
InnerException=SocketException
{
ErrorCode=10061,
Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",
SocketErrorCode=ConnectionRefused,
NativeErrorCode=10061,
Data=
[
]
,
InnerException=null,
TargetSite=RuntimeMethodInfo: DoConnect,
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
HelpLink=null,
Source="System"
},
TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,
StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
HelpLink=null,
Source="Rebex.Networking"
},
TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,
StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, String c1d9d35dd551cf78197245976dcaa69ff)\r\n bei

```

```
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c6acc683e982b9bcb7a42f22685b09ac9(IAsyncResult
c18ebd43640fb9978c51f22aa572f2ecb, Int32 cd1381ce3a2410b8a4d7f652a1d221280)\\r\\n bei
Rebex.Net.ProxySocket.EndConnect(IAsyncResult asyncResult)\\r\\n bei
Rebex.Net.cad4dc1011165c00bda521b3af238eb29.c5990138a8c7264a26fb3bc8929e5a883(EndPoint
c0154f844223152f146228a86e05576a4)",
```

HelpLink=null,

Source="Rebex.Networking"

}

-->No connection could be made because the target machine actively refused it.--> Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720Rebex.Net.ProxySocketException

No connection could be made because the target machine actively refused it.

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

ProxySocketException

{

Status=ConnectFailure,

ErrorCode=10061,

Status=ConnectFailure,

ProtocolCode=null,

ProtocolMessage=null,

Message="No connection could be made because the target machine actively refused it.",

Data=

[

"ProxyStatus" = ConnectFailure

"Status" = ConnectFailure

"ErrorCode" = 10061

]

,

InnerException=SocketException

{

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

```

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="Rebex.Networking"

}

```

-->Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720System.Net.Sockets.SocketException

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)

bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

SocketException

{

```
ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

}System.Net.Sockets.SocketException
```

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)

bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

SocketException

{

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

```
]
,
InnerException=null,
TargetSite=RuntimeMethodInfo: DoConnect,
StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",
HelpLink=null,
Source="System"
}Rebex.Net.ProxySocketException
```

No connection could be made because the target machine actively refused it.

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

```
ProxySocketException
{
    Status=ConnectFailure,
    ErrorCode=10061,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
    Data=
    [
        "ProxyStatus" = ConnectFailure
        "Status" = ConnectFailure
        "ErrorCode" = 10061
    ]
,
    InnerException=SocketException
{
```

```

ErrorCode=10061,

Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

SocketErrorCode=ConnectionRefused,

NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

},

TargetSite=RuntimeMethodInfo: c5990138a8c7264a26fb3bc8929e5a883,

StackTrace=" bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="Rebex.Networking"

}

```

-->Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720System.Net.Sockets.SocketException

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)

bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

```

SocketException
{
    ErrorCode=10061,

    Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

    SocketErrorCode=ConnectionRefused,

    NativeErrorCode=10061,

    Data=

    [

    ]

    ,

    InnerException=null,

    TargetSite=RuntimeMethodInfo: DoConnect,

    StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

    HelpLink=null,

    Source="System"
}System.Net.Sockets.SocketException

```

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720

```

bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)

bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)

bei Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)

```

```

SocketException
{
    ErrorCode=10061,

    Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:59720",

    SocketErrorCode=ConnectionRefused,

```

```
NativeErrorCode=10061,

Data=

[

]

,

InnerException=null,

TargetSite=RuntimeMethodInfo: DoConnect,

StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
Rebex.Net.c68052b5c24363561694a43a7fdb77915.c5990138a8c7264a26fb3bc8929e5a883(String
cf9f36e1743ccf0b71ea1fb309a3894e8, IPAddress ceda555d7b56e533bd3d15ebc3ad119db, Int32
c6eaf65a4092fe31238c21331c3da3e1d)",

HelpLink=null,

Source="System"

}
```