

Rebex.Net.FtpException

No connection could be made because the target machine actively refused it.

```
bei qxxw.ltbc(IPEndPoint akz)
    bei Rebex.Net.Ftp.whyj(String ea, Boolean eb, qxxw ec, ydql ed, Int64 ee, FtpTransferState ef)
    bei Rebex.Net.Ftp.wiaj(String hp, String hq, Stream hr, Int64 hs, Int64 ht, ydql hu)
    bei Rebex.Net.Ftp.PutFile(Stream sourceStream, String remotePath)
    bei
    ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass35_0.<DoSendFile>b__0()
in c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 524.
    bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call,
HandleException handleException) in
c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 1315.
    bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile
518.
    bei
    ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.createFol
dersAndSetPermissions(PhpRequiredCapabilities capabilities, String serverFolder, BasePublishingEngine
publishingEngine) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServerRequir
ementsTestController.cs:Zeile 156.
    bei
    ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.doTest(Str
ing serverFolder, BasePublishingEngine publishingEngine, Cancelable cancelable, PhpRequiredCapabilities
reqs, WebServerAvailableCapabilities result) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServerRequir
ementsTestController.cs:Zeile 75.
    bei
    ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.Test(Strin
g serverFolder, BasePublishingEngine publishingEngine, Cancelable cancelable) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServerRequir
ementsTestController.cs:Zeile 49.
    bei
    ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.doTestRunNormal(Cancelable
cancelable, Boolean quickTestOnly) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Testing\ConnectionTestControlle
r.cs:Zeile 138.
    bei ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.Test(Cancelable
cancelable, Boolean quickTestOnly, Boolean allowThrow) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Testing\ConnectionTestControlle
r.cs:Zeile 48.
```

FtpException

```
{
    Status=ConnectFailure,
    Response=null,
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
    Data=
    [
        "FtpStatus" =          ConnectFailure
        "Status" =             ConnectFailure
    ]
}
```

```

InnerException=ProxySocketException
{
    Status=ConnectFailure,
    ErrorCode=10061,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
    Data=
    [
        "ProxyStatus" =          ConnectFailure
        "Status" =              ConnectFailure
        "ErrorCode" =           10061
    ]
},
InnerException=SocketException
{
    ErrorCode=10061,
    Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die
Verbindung verweigerte 217.160.223.29:50544",
    SocketErrorCode=ConnectionRefused,
    NativeErrorCode=10061,
    Data=
    [
    ],
    InnerException=null,
    TargetSite=RuntimeMethodInfo: DoConnect,
    StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint
endPointSnapshot, SocketAddress socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint
remoteEP)\r\n bei aufp.Connect(EndPoint remoteEP)\r\n bei aupi.epsa(IPEndPoint ql)\r\n bei
aupk.uvyj(EndPoint ewy)\r\n bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)",
    HelpLink=null,
    Source="System",
    HResult=-2147467259
},
TargetSite=RuntimeMethodInfo: Connect,
StackTrace=" bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)\r\n bei
qxxw.ltbc(IPEndPoint akz)",
HelpLink=null,
Source="Rebex.Networking",
HResult=-2146233088
},
TargetSite=RuntimeMethodInfo: ltbc,
StackTrace=" bei qxxw.ltbc(IPEndPoint akz)\r\n bei Rebex.Net.Ftp.whyj(String ea, Boolean eb, qxxw
ec, ydql ed, Int64 ee, FtpTransferState ef)\r\n bei Rebex.Net.Ftp.wiaj(String hp, String hq, Stream hr, Int64 hs,
Int64 ht, ydql hu)\r\n bei Rebex.Net.Ftp.PutFile(Stream sourceStream, String remotePath)\r\n bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass35_0.<DoSendFile>b__0()
in c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 524.\r\n
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.guardFtpCall(FtpCall call, HandleException
handleException) in
c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 1315.\r\n
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoSendFile(SendFileInformation
information) in
c:\P\ZP\15.3\ZetaProducerPublishing\Source\Runtime\Protocols\FtpProtocol\FtpEngine.cs:Zeile 518.\r\n
bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.createFol
dersAndSetPermissions(PhpRequiredCapabilities capabilities, String serverFolder, BasePublishingEngine
publishingEngine) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServer
RequirementsTestController.cs:Zeile 156.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.doTest(Strin
g serverFolder, BasePublishingEngine publishingEngine, Cancelable cancelable, PhpRequiredCapabilities
reqs, WebServerAvailableCapabilities result) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServer
RequirementsTestController.cs:Zeile 75.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Requirements.WebServerRequirementsTestController.Test(Strin
g serverFolder, BasePublishingEngine publishingEngine, Cancelable cancelable) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Requirements\WebServer

```

```

RequirementsTestController.cs:Zeile 49.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.doTestRunNormal(Cancelable
cancelable, Boolean quickTestOnly) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Testing\ConnectionTestCo
ntroller.cs:Zeile 138.\r\n bei
ZetaProducer.RuntimeBusinessLogic.Publishing.Testing.ConnectionTestController.Test(Cancelable cancelable,
Boolean quickTestOnly, Boolean allowThrow) in
c:\P\ZP\15.3\ZetaProducerMain\Source\Core\RuntimeBusinessLogic\Publishing\Testing\ConnectionTestCo
ntroller.cs:Zeile 48.",
    HelpLink=null,
    Source="Rebex.Ftp",
    HResult=-2146233088
}

```

-->No connection could be made because the target machine actively refused it.--> Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte 217.160.223.29:50544

Rebex.Net.ProxySocketException

No connection could be made because the target machine actively refused it.

```

bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)
bei qxxw.ltbc(IPEndPoint akz)

```

ProxySocketException

```

{
    Status=ConnectFailure,
    ErrorCode=10061,
    Status=ConnectFailure,
    ProtocolCode=null,
    ProtocolMessage=null,
    Message="No connection could be made because the target machine actively refused it.",
    Data=
    [
        "ProxyStatus" =      ConnectFailure
        "Status" =          ConnectFailure
        "ErrorCode" =       10061
    ]
,
    InnerException=SocketException
    {
        ErrorCode=10061,
        Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung
verweigerte 217.160.223.29:50544",
        SocketErrorCode=ConnectionRefused,
        NativeErrorCode=10061,
        Data=
        [
        ]
,
        InnerException=null,
        TargetSite=RuntimeMethodInfo: DoConnect,
        StackTrace=" bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot,
SocketAddress socketAddress)\r\n bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n bei
aupf.Connect(EndPoint remoteEP)\r\n bei aupi.epsa(IPEndPoint ql)\r\n bei aupk.uvyj(EndPoint ewy)\r\n
bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)",
        HelpLink=null,
        Source="System",
        HResult=-2147467259
    },
    TargetSite=RuntimeMethodInfo: Connect,
    StackTrace=" bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)\r\n bei qxxw.ltbc(IPEndPoint
akz)",
    HelpLink=null,
    Source="Rebex.Networking",
    HResult=-2146233088
}

```

```
}
```

Ignoring inner exception because of previous OutOfMemoryException. See
<https://stackoverflow.com/a/25010668/107625>

System.Net.Sockets.SocketException

Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte
217.160.223.29:50544

```
bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress socketAddress)
  bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)
  bei aupf.Connect(EndPoint remoteEP)
  bei aupi.epsa(IPEndPoint ql)
  bei aupk.uvyj(EndPoint ewy)
  bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)
```

SocketException

```
{
    ErrorCode=10061,
    Message="Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung
verweigerte 217.160.223.29:50544",
    SocketErrorCode=ConnectionRefused,
    NativeErrorCode=10061,
    Data=
    [
    ],
    InnerException=null,
    TargetSite=RuntimeMethodInfo: DoConnect,
    StackTrace="  bei System.Net.Sockets.Socket.DoConnect(EndPoint endPointSnapshot, SocketAddress
socketAddress)\r\n  bei System.Net.Sockets.Socket.Connect(EndPoint remoteEP)\r\n  bei
aupf.Connect(EndPoint remoteEP)\r\n  bei aupi.epsa(IPEndPoint ql)\r\n  bei aupk.uvyj(EndPoint ewy)\r\n
bei Rebex.Net.ProxySocket.Connect(EndPoint remoteEP)",
    HelpLink=null,
    Source="System",
    HResult=-2147467259
}
```

Ignoring inner exception because of previous OutOfMemoryException. See
<https://stackoverflow.com/a/25010668/107625>

C:\Users\Josef Robrecht\AppData\Local\Zeta Producer 11\Applications\producer-core.exe