

ZetaProducerPublishing.Runtime.Main.PublishingException

Benutzername oder Kennwort sind falsch.

bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoOpen(OpenInformation information, AsyncOperation asyncOperation)

bei ZetaProducerPublishing.Runtime.Protocols.Base.BasePublishingEngine.Open(OpenInformation information)

bei ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.get_publishingEngine()

bei ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.DoCopyFile(ZlpFileInfo filePath)

bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishFileOperationManager.ProcessJob(PublishFileOperation JobInfo job)

bei
ZetaProducer.RuntimeBusinessLogic.Publishing.PublishEngineManager.Process(PublishEngineParameterInfo parameterInfo)

bei ZetaProducer.Main.UI.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object sender, DoWorkEventArgs e)

bei ZetaProducer.Main.UI.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(Object sender, DoWorkEventArgs e)

bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)

bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)

PublishingException

```
{
    Message="Benutzername oder Kennwort sind falsch.",
    Data=
    [
    ],
    InnerException=FtpException
    {
        Status=ProtocolError,
        Response=FtpResponse
        {
            Raw="530 Login incorrect\r\n",
            Description="Login incorrect",
```

```

        Code=530,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="530",
    ProtocolMessage="Login incorrect",
    Message="Login incorrect (530).",
    Data=
    [
        "Transferred" =          null
        "ProtocolCode" =          "530"
        "ProtocolMessage" =      "Login incorrect"
        "FtpResponse" =          FtpResponse
        {
            Raw="530 Login incorrect\r\n",
            Description="Login incorrect",
            Code=530,
            Group=5
        }
        "RemotePath" =          null
        "LocalPath" =          null
        "ProblemType" =          null
        "FtpStatus" =            ProtocolError
        "Status" =                ProtocolError
    ]
,

    InnerException=FtpException
{

```

```

        Status=ProtocolError,

        Response=FtpResponse

    {

        Raw="530 Login incorrect\\r\\n",

        Description="Login incorrect",

        Code=530,

        Group=5

    },

    Transferred=0,

    Transferred=0,

    RemotePath=null,

    LocalPath=null,

    ProblemType=0,

    Status=ProtocolError,

    ProtocolCode="530",

    ProtocolMessage="Login incorrect",

    Message="Login incorrect (530).",

    Data=

    [

        "ProtocolCode" =                    "530"

        "ProtocolMessage" =                "Login incorrect"

        "FtpResponse" =                    FtpResponse

        "FtpStatus" =                      ProtocolError

        "Status" =                          ProtocolError

    ]

,

    InnerException=null,

    TargetSite=RuntimeMethodInfo: cda8c5a0995596136fda545c7fe8b52b2,

    StackTrace=" bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String
c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String
c448b2f453289978ab4479120350a1c1c)\\r\\n bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\\r\\n bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",

```

```

        HelpLink=null,

        Source="Rebex.Ftp"

    },

    TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,

    StackTrace="   bei Rebex.Net.Ftp.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, Ftp c672a916dff538ff7f7541cf5bebd98f, String
c1d9d35dd551cf78197245976dcaa69ff, Enum[] cc13753651b0e0a0a7b1f2d615e4fe39a)\\r\\n   bei
Rebex.Net.Ftp.EndLogin(IAsyncResult asyncResult)\\r\\n   bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass9.<DoOpen>b__2()\\r\\n
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetecto
rHolder holder, ActivePassiveGuardDelegate guardDelegate)\\r\\n   bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoOpen(OpenInformation information,
AsyncOperation asyncOperation)",

        HelpLink=null,

        Source="Rebex.Ftp"

    },

    TargetSite=RuntimeMethodInfo: DoOpen,

    StackTrace="   bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoOpen(OpenInformation information,
AsyncOperation asyncOperation)\\r\\n   bei
ZetaProducerPublishing.Runtime.Protocols.Base.BasePublishingEngine.Open(OpenInformation information)\\r\\n
bei ZetaProducer.Runtime.BusinessLogic.Publishing.PublishEngineManager.get_publishingEngine()\\r\\n   bei
ZetaProducer.Runtime.BusinessLogic.Publishing.PublishEngineManager.DoCopyFile(ZlpFileInfo filePath)\\r\\n
bei
ZetaProducer.Runtime.BusinessLogic.Publishing.PublishFileOperationManager.ProcessJob(PublishFileOperation
JobInfo job)\\r\\n   bei
ZetaProducer.Runtime.BusinessLogic.Publishing.PublishEngineManager.Process(PublishEngineParameterInfo
parameterInfo)\\r\\n   bei
ZetaProducer.Main.UI.BuildPublish.Central.NonVisualBuildPublishPerformer.doWorkPublish(Object sender,
DoWorkEventArgs e)\\r\\n   bei
ZetaProducer.Main.UI.BuildPublish.GuiBinding.AsyncRenderGuiBinder.backgroundWorker_DoWork(Object
sender, DoWorkEventArgs e)\\r\\n   bei
System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)\\r\\n   bei
System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)",

        HelpLink=null,

        Source="ZetaProducerPublishing"

    }

```

-->Login incorrect (530).--> Login incorrect (530).Rebex.Net.FtpException

Login incorrect (530).

```
bei Rebex.Net.Ftp.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult c9286469e9e8f1e0c39c5db2a770cdba4,
Ftp c672a916dff538ff7f7541cf5bebd98f, String c1d9d35dd551cf78197245976dcaa69ff, Enum[]
cc13753651b0e0a0a7b1f2d615e4fe39a)
```

```
bei Rebex.Net.Ftp.EndLogin(IAsyncResult asyncResult)
```

```
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass9.<DoOpen>b__2()
```

```
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetecto
rHolder holder, ActivePassiveGuardDelegate guardDelegate)
```

```
bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoOpen(OpenInformation information,
AsyncOperation asyncOperation)
```

```
FtpException
```

```
{
```

```
    Status=ProtocolError,
```

```
    Response=FtpResponse
```

```
    {
```

```
        Raw="530 Login incorrect\r\n",
```

```
        Description="Login incorrect",
```

```
        Code=530,
```

```
        Group=5
```

```
    },
```

```
    Transferred=0,
```

```
    Transferred=0,
```

```
    RemotePath=null,
```

```
    LocalPath=null,
```

```
    ProblemType=0,
```

```
    Status=ProtocolError,
```

```
    ProtocolCode="530",
```

```
    ProtocolMessage="Login incorrect",
```

```
    Message="Login incorrect (530).",
```

```
    Data=
```

```
    [
```

```
        "Transferred" = null
```

```
        "ProtocolCode" = "530"
```

```
        "ProtocolMessage" = "Login incorrect"
```

```

        "FtpResponse" =      FtpResponse
    {
        Raw="530 Login incorrect\\r\\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    }

    "RemotePath" =      null
    "LocalPath" =      null
    "ProblemType" =      null
    "FtpStatus" =      ProtocolError
    "Status" =      ProtocolError
}

```

,

```

InnerException=FtpException
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="530 Login incorrect\\r\\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="530",
    ProtocolMessage="Login incorrect",
    Message="Login incorrect (530).",
}

```

```

Data=
[
    "ProtocolCode" =                    "530"
    "ProtocolMessage" =                  "Login incorrect"
    "FtpResponse" =                     FtpResponse
    {
        Raw="530 Login incorrect\r\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    }
    "FtpStatus" =                        ProtocolError
    "Status" =                           ProtocolError
]
,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: cda8c5a0995596136fda545c7fe8b52b2,
    StackTrace="   bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String
c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String
c448b2f453289978ab4479120350a1c1c)\r\n   bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\r\n   bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",
    HelpLink=null,
    Source="Rebex.Ftp"
},
    TargetSite=RuntimeMethodInfo: caa525c500c39cfd0d67fcd2c4f6b2662,
    StackTrace="   bei Rebex.Net.Ftp.caa525c500c39cfd0d67fcd2c4f6b2662(IAsyncResult
c9286469e9e8f1e0c39c5db2a770cdba4, Ftp c672a916dffb538ff7f7541cf5bebd98f, String
c1d9d35dd551cf78197245976dcaa69ff, Enum[] cc13753651b0e0a0a7b1f2d615e4fe39a)\r\n   bei
Rebex.Net.Ftp.EndLogin(IAsyncResult asyncResult)\r\n   bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.<>c__DisplayClass9.<DoOpen>b__2()\r\n
bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.ActivePassiveDetectorGuard..ctor(IActivePassiveDetecto
rHolder holder, ActivePassiveGuardDelegate guardDelegate)\r\n   bei
ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoOpen(OpenInformation information,
AsyncOperation asyncOperation)",
    HelpLink=null,

```

```
Source="Rebex.Ftp"
}

-->Login incorrect (530).Rebex.Net.FtpException
```

Login incorrect (530).

bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String c448b2f453289978ab4479120350a1c1c)

bei Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)

bei Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object c507d28ee11ccabad52c0ef8151759031)

FtpException

```
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="530 Login incorrect\\r\\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="530",
    ProtocolMessage="Login incorrect",
```

```
Message="Login incorrect (530).",
Data=
[
    "ProtocolCode" =          "530"
    "ProtocolMessage" =       "Login incorrect"
    "FtpResponse" =          FtpResponse
    {
        Raw="530 Login incorrect\\r\\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    }
    "FtpStatus" =             ProtocolError
    "Status" =                ProtocolError
]
,
InnerException=null,
TargetSite=RuntimeMethodInfo: cda8c5a0995596136fda545c7fe8b52b2,
StackTrace="   bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String
c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String
c448b2f453289978ab4479120350a1c1c)\\r\\n   bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\\r\\n   bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",
HelpLink=null,
Source="Rebex.Ftp"
}Rebex.Net.FtpException
```

Login incorrect (530).

bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String c448b2f453289978ab4479120350a1c1c)

bei Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)

bei Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object c507d28ee11ccabad52c0ef8151759031)

FtpException

```
{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="530 Login incorrect\r\n",
        Description="Login incorrect",
        Code=530,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="530",
    ProtocolMessage="Login incorrect",
    Message="Login incorrect (530).",
    Data=
    [
        "ProtocolCode" = "530"
        "ProtocolMessage" = "Login incorrect"
        "FtpResponse" = FtpResponse
    {
        Raw="530 Login incorrect\r\n",
        Description="Login incorrect",
```

```
        Code=530,
        Group=5
    }
    "FtpStatus" =          ProtocolError
    "Status" =             ProtocolError
]
,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: cda8c5a0995596136fda545c7fe8b52b2,
    StackTrace="    bei Rebex.Net.Ftp.cda8c5a0995596136fda545c7fe8b52b2(String
c114836cbd3747e9596c0ecb5a02de2fd, String c1e7bd66b57d2d459c387e3e57de7a8fe, String
c448b2f453289978ab4479120350a1c1c)\\r\\n    bei
Rebex.Net.Ftp.c689874a79c1be40f64cb4d432b136c90(Object c355bb24e446e1f3008745cae95cb6a9b, Enum
c6c791126e3296608c3f1b40660f7c718, Object[] c387e54603e952be78894c2a8cb5f66d8)\\r\\n    bei
Rebex.Net.c75f8de6247240b96a7cc06810b500bd4.c65e24e81bfbf9758ae38ba48a9f95eae(Object
c507d28ee11ccabad52c0ef8151759031)",
    HelpLink=null,
    Source="Rebex.Ftp"
}
```