

Rebex.Net.FtpException

Cannot download file
('/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.jpg'). Invalid command: try being more creative (500).

bei Rebex.Net.Ftp.TL(IAsyncResult A, Ftp B, String C, Enum[] D)

 bei Rebex.Net.Ftp.RR(IAsyncResult A)

 bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.doDownloadOneFolder(SingleDownloadFolderInformation folderInformation, AsyncOperation asyncOperation, BaseResult result)

 bei

ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoDownloadFolder(DownloadFolderInformation information, AsyncOperation asyncOperation)

 bei

ZetaProducer.RuntimeBusinessLogic.BackupAndRestore.Backup.DownloadOnlineDataFromServerController.FetchBackup(Cancelable progress)

 bei

ZetaProducer.RuntimeBusinessLogic.BackupAndRestore.Backup.CoreBackupController.CreateBackup(CoreBackupInformation information)

 bei

ZetaProducer.Main.Backup.CreateBackupSkinnedWizardForm.createBackupBackgroundWorker_DoWork(Object sender, DoWorkEventArgs e)

 bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)

 bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)

FtpException

{

 Status=ProtocolError,

 Response=FtpResponse

 {

 Raw="500 Invalid command: try being more creative\\r\\n",

```
        Description="Invalid command: try being more creative",
        Code=500,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath="/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.jpg",
    LocalPath="C:\\Users\\Beat\\Documents\\Zeta Producer
12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg",
    ProblemType=CannotTransferFile,
    Status=ProtocolError,
    ProtocolCode="500",
    ProtocolMessage="Invalid command: try being more creative",
    Message="Cannot download file
(\\'/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.j
pg\\'). Invalid command: try being more creative (500).",
    Data=
    [
        "Transferred" =          null
        "ProtocolCode" =         "500"
        "ProtocolMessage" =      "Invalid command: try being more creative"
        "FtpResponse" =          FtpResponse
    {
        Raw="500 Invalid command: try being more creative\\r\\n",
        Description="Invalid command: try being more creative",
        Code=500,
        Group=5
    }
        "RemotePath" =
        "/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3
825d.jpg"
```

```
"LocalPath" = "C:\\Users\\Beat\\Documents\\Zeta Producer  
12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12  
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg"
```

```
"ProblemType" = CannotTransferFile
```

```
"FtpStatus" = ProtocolError
```

```
"Status" = ProtocolError
```

```
]
```

```
,
```

```
InnerException=FtpException
```

```
{
```

```
Status=ProtocolError,
```

```
Response=FtpResponse
```

```
{
```

```
Raw="500 Invalid command: try being more creative\\r\\n",
```

```
Description="Invalid command: try being more creative",
```

```
Code=500,
```

```
Group=5
```

```
},
```

```
Transferred=0,
```

```
Transferred=0,
```

```
RemotePath="/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/asse  
ts/54a54daf3825d.jpg",
```

```
LocalPath="C:\\Users\\Beat\\Documents\\Zeta Producer  
12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12  
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg",
```

```
ProblemType=CannotTransferFile,
```

```
Status=ProtocolError,
```

```
ProtocolCode="500",
```

```
ProtocolMessage="Invalid command: try being more creative",
```

```
Message="Cannot download file  
(\\'/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.j  
pg\\'). Invalid command: try being more creative (500).",
```

```
Data=
```

```
[
```

```

        "Transferred" = null
        "ProtocolCode" = "500"
        "ProtocolMessage" = "Invalid command: try being more
creative"
        "FtpResponse" = FtpResponse
        {
            Raw="500 Invalid command: try being more creative\r\n",
            Description="Invalid command: try being more creative",
            Code=500,
            Group=5
        }
        "RemotePath" =
"/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3
825d.jpg"
        "LocalPath" = "C:\\Users\\Beat\\Documents\\Zeta
Producer 12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg"
        "ProblemType" = CannotTransferFile
        "FtpStatus" = ProtocolError
        "Status" = ProtocolError
    ]
,
    InnerException=FtpException
    {
        Status=ProtocolError,
        Response=FtpResponse
        {
            Raw="500 Invalid command: try being more creative\r\n",
            Description="Invalid command: try being more creative",
            Code=500,
            Group=5
        },
        Transferred=0,

```

```

Transferred=0,
RemotePath=null,
LocalPath=null,
ProblemType=0,
Status=ProtocolError,
ProtocolCode="500",
ProtocolMessage="Invalid command: try being more creative",
Message="Invalid command: try being more creative (500).",
Data=
[
    "ProtocolCode" = "500"
    "ProtocolMessage" = "Invalid command: try
being more creative"
    "FtpResponse" = FtpResponse
    "FtpStatus" = ProtocolError
    "Status" = ProtocolError
]
,
InnerException=null,
TargetSite=RuntimeMethodInfo: NM,
StackTrace=" bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E,
FtpTransferState H)\r\n bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH
H)\r\n bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)\r\n bei
Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)",
HelpLink=null,
Source="Rebex.Ftp",
HResult=-2146233088
},
TargetSite=RuntimeMethodInfo: QE,
StackTrace=" bei Rebex.BH.QE(Exception A, TransferProblemType B, YG C, YG D,
BatchProblemReactions E, BatchProblemReactions H, BatchProblemReactions& I)\r\n bei
Rebex.BH.PE(Exception A, String B, TransferProblemType C, YG D, YG E, BatchProblemReactions H,
BatchProblemReactions& I)\r\n bei Rebex.BH.JE(String A, String B, YG C, YG D, YG E, YG H, Boolean
I, Boolean J, Boolean L)\r\n bei Rebex.BH.IE(ZG A)\r\n bei Rebex.BH.FE()\r\n bei
Rebex.BH.AE(TransferAction A, XG B, String C, TransferMethod D, MoveMode E, LinkProcessingMode

```

H, ActionOnExistingFiles I, YG J)\r\n bei Rebex.Net.Ftp.XO(WG A, String B, TransferMethod C, MoveMode D, LinkProcessingMode E, ActionOnExistingFiles H)\r\n bei Rebex.Net.Ftp.BQ(Object A, Enum B, Object[] C)\r\n bei Rebex.QI.Z(Object A)",

HelpLink=null,

Source="Rebex.Ftp",

HResult=-2146233088

},

TargetSite=RuntimeMethodInfo: TL,

StackTrace=" bei Rebex.Net.Ftp.TL(IAsyncResult A, Ftp B, String C, Enum[] D)\r\n bei Rebex.Net.Ftp.RR(IAsyncResult A)\r\n bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.doDownloadOneFolder(SingleDownloadFolderInformation folderInformation, AsyncOperation asyncOperation, BaseResult result)\r\n bei ZetaProducerPublishing.Runtime.Protocols.FtpProtocol.FtpEngine.DoDownloadFolder(DownloadFolderInformation information, AsyncOperation asyncOperation)\r\n bei ZetaProducer.RuntimeBusinessLogic.BackupAndRestore.Backup.DownloadOnlineDataFromServerController.FetchBackup(Cancelable progress)\r\n bei ZetaProducer.RuntimeBusinessLogic.BackupAndRestore.Backup.CoreBackupController.CreateBackup(CoreBackupInformation information)\r\n bei ZetaProducer.Main.Backup.CreateBackupSkinnedWizardForm.createBackupBackgroundWorker_DoWork(Object sender, DoWorkEventArgs e)\r\n bei System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)\r\n bei System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)",

HelpLink=null,

Source="Rebex.Ftp",

HResult=-2146233088

}

-->Cannot download file

('public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.jpg'). Invalid command: try being more creative (500).--> Invalid command: try being more creative (500).Rebex.Net.FtpException

Cannot download file

('public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.jpg'). Invalid command: try being more creative (500).

bei Rebex.BH.QE(Exception A, TransferProblemType B, YG C, YG D, BatchProblemReactions E, BatchProblemReactions H, BatchProblemReactions& I)

bei Rebex.BH.PE(Exception A, String B, TransferProblemType C, YG D, YG E, BatchProblemReactions H, BatchProblemReactions& I)

bei Rebex.BH.JE(String A, String B, YG C, YG D, YG E, YG H, Boolean I, Boolean J, Boolean L)

bei Rebex.BH.IE(ZG A)

bei Rebex.BH.FE()

bei Rebex.BH.AE(TransferAction A, XG B, String C, TransferMethod D, MoveMode E, LinkProcessingMode H, ActionOnExistingFiles I, YG J)

bei Rebex.Net.Ftp.XO(WG A, String B, TransferMethod C, MoveMode D, LinkProcessingMode E, ActionOnExistingFiles H)

bei Rebex.Net.Ftp.BQ(Object A, Enum B, Object[] C)

bei Rebex.QI.Z(Object A)

FtpException

{

 Status=ProtocolError,

 Response=FtpResponse

 {

 Raw="500 Invalid command: try being more creative\\r\\n",

 Description="Invalid command: try being more creative",

 Code=500,

 Group=5

 },

 Transferred=0,

 Transferred=0,

 RemotePath="/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.jpg",

 LocalPath="C:\\Users\\Beat\\Documents\\Zeta Producer
12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg",

 ProblemType=CannotTransferFile,

 Status=ProtocolError,

```
ProtocolCode="500",

ProtocolMessage="Invalid command: try being more creative",

Message="Cannot download file
(\\'/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3825d.j
pg\\'). Invalid command: try being more creative (500).",

Data=

[

    "Transferred" =          null

    "ProtocolCode" =         "500"

    "ProtocolMessage" =      "Invalid command: try being more creative"

    "FtpResponse" =         FtpResponse

    {

        Raw="500 Invalid command: try being more creative\\r\\n",

        Description="Invalid command: try being more creative",

        Code=500,

        Group=5

    }

    "RemotePath" =

"/public_html/media/Scripting/ServerSideScripting/PHP/CMS_DATA/1369/assets/54a54daf3
825d.jpg"

    "LocalPath" =           "C:\\Users\\Beat\\Documents\\Zeta Producer
12\\Projects\\GehoerlosenVereinBern\\Online Data Backup\\2015_06_12
12_02\\CMS_DATA\\1369\\assets\\54a54daf3825d.jpg"

    "ProblemType" =        CannotTransferFile

    "FtpStatus" =          ProtocolError

    "Status" =             ProtocolError

]

,

InnerException=FtpException

{

    Status=ProtocolError,

    Response=FtpResponse

    {

        Raw="500 Invalid command: try being more creative\\r\\n",
```

```
        Description="Invalid command: try being more creative",
        Code=500,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="500",
    ProtocolMessage="Invalid command: try being more creative",
    Message="Invalid command: try being more creative (500).",
    Data=
    [
        "ProtocolCode" =                "500"
        "ProtocolMessage" =              "Invalid command: try being more
creative"
        "FtpResponse" =                  FtpResponse
        {
            Raw="500 Invalid command: try being more creative\\r\\n",
            Description="Invalid command: try being more creative",
            Code=500,
            Group=5
        }
        "FtpStatus" =                    ProtocolError
        "Status" =                       ProtocolError
    ]
    ,
    InnerException=null,
    TargetSite=RuntimeMethodInfo: NM,
```

```
StackTrace=" bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E,
FtpTransferState H)\r\n bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH
H)\r\n bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)\r\n bei
Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)",
```

```
HelpLink=null,
```

```
Source="Rebex.Ftp",
```

```
HResult=-2146233088
```

```
},
```

```
TargetSite=RuntimeMethodInfo: QE,
```

```
StackTrace=" bei Rebex.BH.QE(Exception A, TransferProblemType B, YG C, YG D,
BatchProblemReactions E, BatchProblemReactions H, BatchProblemReactions& I)\r\n bei
Rebex.BH.PE(Exception A, String B, TransferProblemType C, YG D, YG E, BatchProblemReactions H,
BatchProblemReactions& I)\r\n bei Rebex.BH.JE(String A, String B, YG C, YG D, YG E, YG H, Boolean
I, Boolean J, Boolean L)\r\n bei Rebex.BH.IE(ZG A)\r\n bei Rebex.BH.FE()\r\n bei
Rebex.BH.AE(TransferAction A, XG B, String C, TransferMethod D, MoveMode E, LinkProcessingMode
H, ActionOnExistingFiles I, YG J)\r\n bei Rebex.Net.Ftp.XO(WG A, String B, TransferMethod C,
MoveMode D, LinkProcessingMode E, ActionOnExistingFiles H)\r\n bei Rebex.Net.Ftp.BQ(Object
A, Enum B, Object[] C)\r\n bei Rebex.QI.Z(Object A)",
```

```
HelpLink=null,
```

```
Source="Rebex.Ftp",
```

```
HResult=-2146233088
```

```
}
```

```
-->Invalid command: try being more creative (500).Rebex.Net.FtpException
```

```
-----
```

```
Invalid command: try being more creative (500).
```

```
-----
```

```
bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E, FtpTransferState H)
```

```
bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH H)
```

```
bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)
```

```
bei Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)
```

```
FtpException
```

```

{
    Status=ProtocolError,
    Response=FtpResponse
    {
        Raw="500 Invalid command: try being more creative\\r\\n",
        Description="Invalid command: try being more creative",
        Code=500,
        Group=5
    },
    Transferred=0,
    Transferred=0,
    RemotePath=null,
    LocalPath=null,
    ProblemType=0,
    Status=ProtocolError,
    ProtocolCode="500",
    ProtocolMessage="Invalid command: try being more creative",
    Message="Invalid command: try being more creative (500).",
    Data=
    [
        "ProtocolCode" =          "500"
        "ProtocolMessage" =      "Invalid command: try being more creative"
        "FtpResponse" =          FtpResponse
        {
            Raw="500 Invalid command: try being more creative\\r\\n",
            Description="Invalid command: try being more creative",
            Code=500,
            Group=5
        }
        "FtpStatus" =            ProtocolError
        "Status" =               ProtocolError
    ]
}

```

```
,  
    InnerException=null,  
    TargetSite=RuntimeMethodInfo: NM,  
    StackTrace=" bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E,  
FtpTransferState H)\r\n bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH  
H)\r\n bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)\r\n bei  
Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)",  
    HelpLink=null,  
    Source="Rebex.Ftp",  
    HResult=-2146233088  
}Rebex.Net.FtpException
```

Invalid command: try being more creative (500).

```
bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E, FtpTransferState H)  
    bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH H)  
    bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)  
    bei Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)
```

FtpException

```
{  
    Status=ProtocolError,  
    Response=FtpResponse  
    {  
        Raw="500 Invalid command: try being more creative\r\n",  
        Description="Invalid command: try being more creative",  
        Code=500,  
        Group=5  
    },  
}
```

```
Transferred=0,
Transferred=0,
RemotePath=null,
LocalPath=null,
ProblemType=0,
Status=ProtocolError,
ProtocolCode="500",
ProtocolMessage="Invalid command: try being more creative",
Message="Invalid command: try being more creative (500).",
Data=
[
    "ProtocolCode" =          "500"
    "ProtocolMessage" =      "Invalid command: try being more creative"
    "FtpResponse" =          FtpResponse
    {
        Raw="500 Invalid command: try being more creative\\r\\n",
        Description="Invalid command: try being more creative",
        Code=500,
        Group=5
    }
    "FtpStatus" =            ProtocolError
    "Status" =                ProtocolError
]
```

,

```
InnerException=null,
TargetSite=RuntimeMethodInfo: NM,
StackTrace=" bei Rebex.Net.Ftp.NM(String A, Boolean B, ZJ C, EH D, Int64 E,
FtpTransferState H)\\r\\n bei Rebex.Net.Ftp.JO(String A, Boolean B, Stream C, Int64 D, String E, EH
H)\\r\\n bei Rebex.Net.Ftp.RO(String A, String B, Int64 C, Int64 D, EH E)\\r\\n bei
Rebex.Net.LJ.GC(YG A, YG B, String C, String D, Int64 E, Int64 H)",
HelpLink=null,
Source="Rebex.Ftp",
HResult=-2146233088
```

}